
WATER WELL RE				ivision of Water			MXX/2		
X Original Record	Correction Change i	in Well Ust	Re	sources App. No.		Well ID	MW3		
1 LOCATION OF County Sedgwice	WATER WELL:	Fraction SW 1/4 SE 1/4 1	NE ¼ NW		er Township Num T 27	_	Number 1 X E W		
2 WELL OWNER:		First:	Street or Rura	l Address where we	ell is located (if unk	nown, distance	and direction		
Business: KDHE	Business: KDHE from nearest town or intersection): If at owner's address, check here:								
Address: 1000 SW Jackson Blvd ~250ft N of the NE corner of S. Beverly St. & E Gilbert St., Wichita, KS									
Address: City T	opeka State: KS	ZIP: 66612							
3 LOCATE WELL		OMPLETED WELL:	29 ft	5 Latitude:	37.6764	453 (de	cimal degrees)		
WITH "X" IN	Depth(s) Groundwater		ft	Longitude	***************************************	**************************************	cimal degrees)		
SECTION BOX:	2) ft 3	5) II, OI +) [DI	y wen	Horizontal			83 🔲 NAD 27		
N	WELL'S STATIC WA	***************************************			Latitude/Longitude	:			
	below land surf	face, measured on (mo-day-	yr)		unit make/model:)		
NW X NE	Pump test data: We	face, measured on (mo-day- ll water was	yr) fi		AAS enabled? Survey Topog)		
	1 1 -	ours pumping			Mapper	rapine map			
W	E W	Vater well was	ft						
SW SE		ours pumping	gpm	6 Elevation	1346.68 ft	Ground L	. —		
	Estimated Yield:	gpm		Source X		GPS	Topographic Map		
	Bore Hole Diameter	: 8.25 in to	∴ft, and	L_	Other				
S 1 mile		in to	¹¹						
7 WELL WATER T					·				
1 Domestic:	5 Public Water Su				Water Supply: lease	e			
Household	6 Dewatering: ho	•		11 Test Hole: wel					
Lawn & Garden	7 Aquifer Recharg			Cased	Uncased	Geotechnic	al		
Livestock 2 Irrigation	8 X Monitoring: we 9 Environmental Remo			12 Geothermal: Ho		Vortio			
2 Irrigation 3 Feedlot	Air Sparge	Soil Vapor Extractio	•	a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water					
4 Industrial	Recovery	Injection	•	Other (spe			j ng. or water		
Was a shaminal/hastarial	logical sample submitted to KI	NIES DVas VNs	lf.voo	data comple was a	hamittad.				
Water well disinfected?	Yes X No	THE: TES A INC	n yes,	date sample was su	ionnued:	***************************************			
8 TYPE OF CASIN	G USED: Steel X PVC	Other	CASING I	OINTS: Glu	ed Clampled	Welded	X Threaded		
Casing diameter 2	in to 19 ft, Diam	neter in to Veight	ft,	Diameter	in. to	ft,			
Casing height above land s	urface -0.24 in. W	Veight	lbs./ft. We	ell thickness or gaug	ge No				
	R PERFORATION MATERIA		_	1 ou (c. :c.)					
	anized Steel Fiberglass Concrete tile	X PVC None used (open	hala)	Other (Specify)					
	anized Steel Concrete tile ATION OPENINGS ARE:	None used (open	noie)						
Continuous Slot		ze Wrapped Torch	Cut Dr	rilled Holes	Other (Specify	')			
Louvered Shutter	Key Punched Wire	••• <u></u>		one (Open Hole)		,			
SCREEN-PERFORATED	INTERVALS: From 19	ft. to 29 ft, F	rom	ft. to	ft, From	ft. to	ft,		
GRAVEL PACK	INTERVALS: From 17	ft. toft, F	rom	ft. to	ft, From	ft. to	ft,		
9 GROUT MATERIAL		ement grout X Benton	nite X Oth	ner Concrete: 0-1'					
Grout intervals: From		Fromft. to	ft, F	romft.	toft,				
Nearest source of possib		Dia Duta		wasta ala Dami		C4			
Septic Tank Sewer Lines	Lateral Lines Cess Pool	Pit Privy Sewage Lagoon	<u>——</u>	vestock Pens el Storage	Insecticide	Storage d Water Well			
Watertight Sewer Li		Feedyard		rtilizer Storage	Oil Well /				
Other (Specity)	ocopage r it			Storage					
Direction from well?		Distance from we	il?		ft				
10 FROM TO	LITHOLO	GIC LOG	FROM	ТО	LITHO. LOG (cor	nt.) or PLUGGI	NG INTERVALS		
0 0.3	Topsoil								
0.3 7	Clay Silty clay								
11 15	Silty clay with fine sand								
15 22	Silty clay with coarse sand								
22 29	Silty clay with fine to coarse san	nd	Note 171	THE ID. E	Monarda Cl	. (2) 00= =10	16		
					Morgan's Cleaners hallow groundwater				
				on of KDHE.		, 20 or grout	s mstaticu at		
11 CONTRACTOR'S	OR LANDOWNER'S CERTIF		l was X	constructed,	reconstructed, or	plugged	under my		
jurisdiction and was completed on (mo-day-year) 3/19/18 and this record is true to the best of my knowledge and belief. Kansas water well Contractor's									
License No 757 This Water Well Record was completed on (mo-day-year) 4/24/18 under the business name of Larsen & Associates, Inc. Signature									
under the business name of Larsen & Associates, Inc. Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, 6WTS Section.									
	Jackson St., Suite 420, Topeka, Kansa		•				*₫		
Visit us at http://www.k	dheks.gov/waterwell/index.html	KSA 82a-1	212			Revised	17/10/2015		



CHECKED BY:

E355-001

PROJECT NO.

KDHE Proj. Code: C2-087-71616

KDHE WO No .:

DC08771616001EMR



Armstrong Land Survey, P.A.

1601 E. Harry WICHITA, KS 67211 Ph (316)263-0082 surveys@armstrong.kscoxmail.com

Monitoring Well Locations for former Morgan Cleaners at 5407 E Kellogg Dr. in Wichita, KS.

BM – Chisele Northing Easting Elevation	ed square cut on the South curb return 1683300.339 1667251.233 1342.42 NAVD88	at the Southea Latitude Longitude	ast intersection of Kellog 37°40'44.59911" N 97°16'24.84459" W	
MW-1 Northing Easting Elevation Casing Elev	1683316.050 1667335.481 1343.74 NAVD88 1343.48 NAVD88	Latitude Longitude	37°40'44.74347" N 97°16'23.79409" W	took Lad long from Drill long.
MW-2 Northing Easting Elevation Casing Elev	1683179.010 1667361.786 1344.26 NAVD88 1344.01 NAVD88	Latitude Longitude	37°40'43.38527" N 97°16'23.48933" W	v
MW-3 Northing Easting Elevation Casing Elev	1682353.542 1667267.209 1346.92 NAVD88 1346.68 NAVD88	Latitude Longitude	37°40'35.23702" N 97°16'24.80079" W	
MW-4 Northing Easting Elevation Casing Elev	1682517.370 1666931.100 1341.61 NAVD88 1341.36 NAVD88	Latitude Longitude	37°40'36.90031" N 97°16'28.95455" W	
MW-5 Northing Easting Elevation Casing Elev	1682712.721 1666709.573 1339.77 NAVD88 1339.52 NAVD88	Latitude Longitude	37°40'38.86031" N 97°16'31.67803" W	
MW-6 Northing Easting Elevation Casing Elev	1682241.307 1666605.657 1339.33 NAVD88 1339.08 NAVD88	Latitude Longitude	37°40'34.21342" N 97°16'33.04755" W	