
WATER WELL RE	CORD Form W	WC-5		ision of Water			MANA	
X Original Record	Correction Change	in Well Ust	Reso	urces App. No.		Well ID	MW6	
1 LOCATION OF	WATER WELL:	Fraction			er Township Nun		Number	
County Sedgwick		SW ¼ SW ¼	NE ¼ NW ¼		T 27	<u> </u>	1 X E W	
2 WELL OWNER:	Last Name:	First:			ll is located (if unk			
Business: KDHE	Jackson Divid): If at owner's ad			
Address: 1000 SW Address:	Jackson Biva	~	175ft N of the NE	corner of Pinecre	St St. & E. Gilbert	oi., wichita, K	ა	
	peka State: KS	ZIP: 66612						
3 LOCATE WELL	4 DEPTH OF C	OMPLETED WELL:	29.5 ft	5 Latitude:	37.676	172 (de	cimal degrees)	
WITH "X" IN	Depth(s) Groundwate	r Encountered: 1)	ft	Longitude	****************	850(de	cimal degrees)	
SECTION BOX:		3) ft, or 4) [Horizontal		_	83 NAD 27	
N N	WELL'S STATIC WA	************			Latitude/Longitude	:	,	
		face, measured on (mo-day		<u> </u>	unit make/model:	v. Dv.)	
NW X NE	Pump test data: We	face, measured on (mo-day		(WAAS enabled? Yes No) Land Survey Topographic Map				
		nours pumping			Mapper	rapine wap		
W	E and	Water well was	ft		Wapper			
ow or	after!	nours pumping	gpm	6 Elevation	1339.08 ft	Ground L	evel X TOC	
SW — SE	Estimated Yield:			Source X	Land Survey	GPS	Topographic Map	
		r: 8.25 in to	ft, and		Other			
S		in to	ft					
7 WELL WATER TO								
7 WELL WATER TO 1 Domestic:	5 Public Water S	upply: well ID	1	0 Oil Field V	Water Supply: lease	•		
Household	6 Dewatering: h	• • •		1 Test Hole: well				
Lawn & Garden	7 Aquifer Rechar	<u>-</u>	1	Cased	Uncased	Geotechnic	al	
Livestock	8 X Monitoring: w	•	1	2 Geothermal: Ho				
2 Irrigation	9 Environmental Ren			a) Closed Loo	·	Vertic	al	
3 Feedlot	Air Sparge	Soil Vapor Extracti	or	b) Open Loop Surface Discharge Inj. of Water				
4 Industrial	Recovery	Injection		Other (spe	cify):			
Was a chamical/bactarial	ogical sample submitted to K	DHE? Yes X N	lo If yes da	te sample was su	hmitted:			
Water well disinfected?	Yes X No	DHEICS K_IN	io ii yes, ua	ne sample was su				
	GUSED: Steel X PVC	Other	CASING IO	INTS: Gh	ed Clampled	Welded	X Threaded	
Casing diameter 2	in to 19.5 ft. Dian	neterin. to	ft.	Diameter	in. to		A Threaded	
Casing height above land so	ırface -0.25 in.	neter in to Weight	lbs./ft. Well	thickness or gaug	ge No			
TYPE OF SCREEN OR	PERFORATION MATERIA	AL:						
Steel Stain	ess Steel Fiberglass	X PVC		Other (Specify)				
Brass Galva	nized Steel Concrete til	e None used (oper	hole)					
SCREEN OR PERFOR	ATION OPENINGS ARE:							
Continuous Slot	X Mill Slot Gau			ed Holes	Other (Specify)		
Louvered Shutter	Key Punched Wir	e Wrapped Saw	Cut None	e (Open Hole)				
SCREEN-PERFORATED	INTERVALS: From 19.5	ft. to 29.5 ft,	From ft	. to	ft, From			
GRAVEL PACK I	NTERVALS: From 17.5	ft. to 29.5 ft,	Fromft	. to	ft, From	ft. to	ft,	
9 GROUT MATERIAL		Cement grout X Bento		Concrete: 0-1'				
Grout intervals: From	1 ft. to 17.5 ft,				to ft,			
Nearest source of possib								
Septic Tank	Lateral Lines	Pit Privy	Lives	stock Pens	Insecticide	Storage		
Sewer Lines	Cess Pool	Sewage Lagoon	Fuel	Storage	Abandone	d Water Well		
Watertight Sewer Lin	nes Seepage Pit	Feedyard	Ferti	lizer Storage	Oil Well /	Gas Well	į	
Other (Specity)								
Direction from well?		Distance from w	ell?		ft			
10 FROM TO	 	OGIC LOG	FROM	TO	LITHO. LOG (cor	nt.) or PLUGGI?	NG INTERVALS	
0 0.3	Topsoil							
0.3 6 6 12	Silty clay Silty clay with medium sand			 				
12 20	Silty clay with medium sand			+				
20 30	Silty clay							
					Aorgan's Cleaners			
	Target of monitoring well is shallow groundwater, <20' of grout was installed at							
III CONTRACTORIO	D LANDONAIEDIS CERTIT	HOATION TE	the direction			11, .		
	OR LANDOWNER'S CERTIF				reconstructed, or t			
jurisdiction and was completed on (mo-day-year) 3/19/18 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 757 This Water Well Record was completed on (mo-day-year) 4/24/18								
under the business name of Larsen & Associates, Inc. Signature								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, CW is Section,								
Mail 1 white					ent, Bureau of Water,	CW S Section,		
1000 SW 2		each constructed well to: Kans	as Department of Heavage Water Well Owner and	alth and Environme			,	



CHECKED BY:

E355-001

PROJECT NO.

KDHE Proj. Code: C2-087-71616

KDHE WO No .:

DC08771616001EMR



Armstrong Land Survey, P.A.

1601 E. Harry WICHITA, KS 67211 Ph (316)263-0082 surveys@armstrong.kscoxmail.com

Monitoring Well Locations for former Morgan Cleaners at 5407 E Kellogg Dr. in Wichita, KS.

BM – Chisele Northing Easting Elevation	ed square cut on the South curb return 1683300.339 1667251.233 1342.42 NAVD88	at the Southea Latitude Longitude	ast intersection of Kellog 37°40'44.59911" N 97°16'24.84459" W	
MW-1 Northing Easting Elevation Casing Elev	1683316.050 1667335.481 1343.74 NAVD88 1343.48 NAVD88	Latitude Longitude	37°40'44.74347" N 97°16'23.79409" W	took Lad long from Drill long.
MW-2 Northing Easting Elevation Casing Elev	1683179.010 1667361.786 1344.26 NAVD88 1344.01 NAVD88	Latitude Longitude	37°40'43.38527" N 97°16'23.48933" W	v
MW-3 Northing Easting Elevation Casing Elev	1682353.542 1667267.209 1346.92 NAVD88 1346.68 NAVD88	Latitude Longitude	37°40'35.23702" N 97°16'24.80079" W	
MW-4 Northing Easting Elevation Casing Elev	1682517.370 1666931.100 1341.61 NAVD88 1341.36 NAVD88	Latitude Longitude	37°40'36.90031" N 97°16'28.95455" W	
MW-5 Northing Easting Elevation Casing Elev	1682712.721 1666709.573 1339.77 NAVD88 1339.52 NAVD88	Latitude Longitude	37°40'38.86031" N 97°16'31.67803" W	
MW-6 Northing Easting Elevation Casing Elev	1682241.307 1666605.657 1339.33 NAVD88 1339.08 NAVD88	Latitude Longitude	37°40'34.21342" N 97°16'33.04755" W	