		ECORD		WWC-5			ision of Wat	- 1		Well ID	MW2RR	
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction						Resources App. No. Section Number			Township Number Range Number			
County: SEDGWICK SW1/4 SE 1/4 SW 5						SW1/4	15 T 27 S R 1 ME W					
	ENERGY, I ST CENTRAI	First:	Street or Rui	t or Rural Address where well is located (if unknown, distance and on from nearest town or intersection): If at owner's address, check here:								
City:	WICHITA		State: KS	ZIP: 67214	Ш							
WITH "X SECTIO	A DEPTH OF COMPLETED WELL:							Longitude: 97.31416 (decimal degrees) Horizontal Datum: ■ WGS 84 □ NAD 83 □ NAD 27 Source for Latitude/Longitude:				
NW	below land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr Pump test data: Well water was							☐ GPS (unit make/model:				
w	E after hours pumping gpm Well water was ft.						Online Mapper:					
SW x	SE	after hours pumping						6 Elevation: 1300.17ft. ☐ Ground Level ■ TOC				
_	S Bore Hole Diameter: 8.5 in. to 25 ft. and in. to ft.						Source: Land Survey GPS Topographic Map Other					
7 WELL WATER TO BE USED AS:												
1. Domestic: Househ	Domestic: 5. ☐ Public Water Supply: well ID ☐ Household 6. ☐ Dewatering: how many wells?							10. Oil Field Water Supply: lease				
_	☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID						☐ Cased ☐ Uncased ☐ Geotechnical					
☐ Livesto								12. Geothermal: how many bores?				
3. Feedlot								b) Open Loop Surface Discharge Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
Water Well districted? Yes No No Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Stainless Steel □ PVC □ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE: □ Continuous Slot ■ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 ft. From ft. to ft. from ft. from ft.												
GRAVEL PACK INTERVALS: From 13 ft. to 25 ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete Surface Completion 0 -1 Grout Intervals: From												
		le contaminati		□ n:: n :		_	7.1 1 D					
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon ■ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Fertilizer Storage □ Oil Well/Gas Well												
☐ Other (Specify) Direction from well? EAST Distance from well? 5												
10 FROM	TO	I	ITHOLO	GIC LOG		FROM	TO	LIT	HO. LOG (cont.) o	r PLUGGIN	G INTERVALS	
.5		ASPHALT	,									
		SILTY CLAY SAND										
						None		<u></u>				
	Notes: U2-087-00191											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo-day-year) 5/15/19												
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Surfau of Water, GWTS Section,												
1000	SW Jackson S	St., Suite 420, To	peka, Kansas	66612-1367. Mail one	to V	Vater Well Ow	ner and retain	one fo	or your pecords. Telep	hone 785-296	i-5524.	
Visit us at http	://www.kdhek	s.gov/waterwell/	ındex.html			KSA 82a-12	14			Kevise	17/10/2015	

