			WWC-5			ion of Water					
			e in Well Use			rces App. No.		Well ID			
		WATER WELL:	Fraction		Secti	on Number	Township Number		ige Number		
Cour	ity: SEDGV	VICK	SE 1/4 NW 1/4			4	T 27 S		E D W		
2 WEL	L OWNER	: Last Name: ON CONSTRUCTION	First:		Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:						
Address:											
Addres		ORTH MEAD State: KS	ZIP: 67219								
City:	TE WELL			- 44							
WITH "X" IN 4 DEPTH OF COMPLETED WELL:											
SECT	SECTION BOX.						Longitude:				
	WELL'S STATIC WATER LEVEL: 17 ft.						or Latitude/Longitude:		55 LI NAD 27		
Mr.						☐ GPS	(unit make/model:				
NW -	above land surface, measured on (mo-day-yr)						(WAAS enabled?		0)		
l w								☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
1 1	Well water was ft.										
1		Estimated Yield:20		pumping gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC				
1-3-	S Bore Hole Diameter:!			11.5 in. to 44 ft. and			Source: Land Survey GPS Topographic Map				
	mile		in. to				Other				
7 WELL WATER TO BE USED AS:											
1. Domesti			ter Supply: well I			10. Oil F	eld Water Supply: lea	se			
_	☐ Household 6. ☐ Dewatering: how many wells?					11. Test Hole: well ID Geotechnical					
	☐ Livestock 8. ☐ Monitoring: well ID						12. Geothermal: how many bores?				
								op Horizontal Vertical			
	□ Feedlot □ Air Sparge □ Soil Vapor Extraction □ By Open Loop □ Surface Discharge □ Inj. of Water □ Industrial □ Recovery □ Injection □ 13. □ Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other											
Casing diameter 5 in. to 44 ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
Louvered Shutter											
SCREEN-PERFORATED INTERVALS: From .24 ft. to .44 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 22 ft. to 44 ft., From ft. to ft. ft ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 2 ft. to 44 ft., From ft. to ft., From ft. ft. o ft.											
		le contamination:	part not not			. 1.0	F7 2				
☐ Septic		☐ Lateral Lines ☐ Cess Pool	☐ Pit Priv			vestock Pens el Storage	☐ Insecticion ☐ Abandon		7e11		
Sandy Street,	ight Sewer L		☐ Feedya			rtilizer Storage			CII		
Other (Specify) Direction from well? SOUTH Distance from well? .71 ft.											
								LICONIC	DITEDUATO		
10 FROM 0	TO 2	TOP SOIL	IC LUG	FROM	/1.	IU LI	THO. LOG (cont.) or P	LUGUING	INTERVALS		
2		CLAY									
20		MED SAND/GRAVEL N	MIX								
41		AQUA SHALE									
				TAT :							
Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) .8/12/2019 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) 9/23/2019 under the business name of .WENINGER.DRILLING.LLC											
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,											
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.											
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/20											