WATER			ı WWC-5	Division of Water NWL-330				
Original Record Correction 1 LOCATION OF WATER WELL:			<u> </u>		ources App. No.	- 1: N 1	Well ID	
			Fraction		ction Number	Township Numbe		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Address: 455 N. Main North Right-of way of E. Murdock west of N. Cleveland Ave.								
Address:								
City:	Wichita	State: KS	S ZIP: 67202	Wichita				
3 LOCATE		A DEPTH OF CO	MPLETED WELL	30 ft. 5 Latitude: 37. 69811 (decimal degrees)				
WITH "X		Depth(s) Groundwat	3 ft	ft. Longitude: 97. 323.88 (decimal degrees)				
SECTION N		2) ft.						
		WELL'S STATIC W	3.9ft.	Source for	r Latitude/Longitude:			
		■ below land surfa		GPS	■ GPS (unit make/model:garmen c60)			
NW	NE	above land surfa			(WAAS enabled? ■ Yes □ No)			
	1	Pump test data: Wel		☐ Land Survey ☐ Topographic Map				
W	E	after ho	gpm ft.	Online Mapper:				
SW	X E	after ho						
		Estimated Yield:	gp	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	;	Bore Hole Diameter:	ft. and	ft. and Source: Land Survey GPS Topographic Map				
1 m	ile		in. to	ft.		Other		
7 WELL WATER TO BE USED AS:								
1. Domestic:			Water Supply: well ID				ase	
	Household 6. Dewatering: how many wells?				11. Test Hole: well ID			
Lawn &		7. \square Aquiter	-33N	Cased Uncased Geotechnical 12. Geothermal: how many bores?				
2. Trrigation			ring: well ID					
				or Extraction	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. Industri		☐ Recove		or Extraction				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: Steel PVC Other								
Casing diameter								
Casing height above land surfacein. Weight lbs./ft. Wall thickness or gauge No. Sch. 40								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
Grout Intervals: From								
Nearest source of possible contamination:								
Septic Tank								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify) Direction from well? Distance from well? ft.								
10 FROM	TO		OGIC LOG	FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS	
0	10	Silfy Clay						
10	17	Clay			ļ			
17	28	Sand we clay !	ens		-			
28		Shale						
 								
				NT-4	liab ala ala de de	ad an Element Co. 1		
	Notes: Lithologic log based on Electrical Conductivity logging data.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No. 710 This Water Well Record was completed on (mo-day-year) 41.41720								
under the business name of Below Ground Surface, Inc. Signature								
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								