


WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.



Well ID

NWL-095R

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Sedgwick Fraction SE 1/4 SW 1/4 NW 1/4 NW 1/4 Section Number 9 Township Number T 27 S Range Number R 1 E W

2 WELL OWNER: Last Name: First: City: State: ZIP: Street or Rural Address where well is located...

3 LOCATE WELL WITH 'X' IN SECTION BOX: N, W, E, S grid with X in NW and 1 mile scale

4 DEPTH OF COMPLETED WELL: 17 ft. Depth(s) Groundwater Encountered... WELL'S STATIC WATER LEVEL: 13.69 ft...

5 Latitude: 37.72076 Longitude: 97.37392 Horizontal Datum: WGS 84 Source for Latitude/Longitude: GPS...

6 Elevation: Ground Level TOC Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: Household, Lawn & Garden, Livestock, Irrigation, Feedlot, Industrial... 2. Public Water Supply, Dewatering, Aquifer Recharge, Monitoring, Environmental Remediation... 10. Oil Field Water Supply, 11. Test Hole, 12. Geothermal, 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 1.25 in. to 7 ft...

TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Brass Galvanized Steel Concrete tile None used

SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Louvered Shutter Key Punched Wire Wrapped Saw Cut None

SCREEN-PERFORATED INTERVALS: From 7 ft to 17 ft GRAVEL PACK INTERVALS: From 5 ft to 17 ft

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Bentonite-Granular Grout Intervals: From 2 ft to 3 ft, From 3 ft to 5 ft

Nearest source of possible contamination: Septic Tank, Sewer Lines, Watertight Sewer Lines, Lateral Lines, Cess Pool, Seepage Pit, Pit Privy, Sewage Lagoon, Feedyard, Livestock Pens, Fuel Storage, Fertilizer Storage, Insecticide Storage, Abandoned Water Well, Oil Well/Gas Well

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS. Table with 2 rows: 0-7 silty clays, 7-43 sand w/ clay layers. Notes: Lithologic log based on Electrical Conductivity logging data.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 3/25/20... Signature