WATER				WWC-5		ision of Water		Well ID NAW-625	
		Correction				urces App. Notion Number			
1 LOCATION OF WATER WELL: Fraction NEW Sedgwick Fraction					Section Number Township Number Range Number				
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance ar									
Business: City of Wichita/Environmental Health						direction from nearest town or intersection): If at owner's address, check here:			
Address: 455 N. Main Address:					WUT side right of way on N. Santa Fe Auch south of				
City:	Wichita		State: KS	ZIP: 67202	E. 14 MS+	.N. Wich	ita, KS		
3 LOCATI		4 DEPTH	LOE CON	MPLETED WELL:	19.5 8	5 Latitu	do: 37.70977	(decimal degrees)	
4	Double) Groundwater Engountered: 1)								
į.	SECTION BOX: 2)					☐ Dry Well Horizontal Datum: ■ WGS 84 ☐ NAD 83 ☐ NAD 27			
l				TER LEVEL:1.3		Source	for Latitude/Longitude	r.	
'		,		e, measured on (mo-da) e, measured on (mo-da)		· G	S (unit make/model: . (WAAS enabled?		
NW	NE		Pump test data: Well water wasft.			1	and Survey Topog		
w	W E		after hours pumping			_ □ O	nline Mapper:		
sw	SW SE		Well water was						
M								i. Ground Level TOC	
	S	Bore Hole I	Estimated Yield:			Source:			
7 WELL WATER TO BE USED AS:									
I. Domestic:				ater Supply: well ID	*************	10. □ Oil	Field Water Supply:	lease	
☐ Housei			6. Dewatering: how many wells?			11. Test Hole: well ID			
Lawn &			7. Aquifer Recharge: well ID						
2. Irrigati	☐ Livestock 8. Monitoring: well ID					225 12. Geothermal: how many bores?			
3. Feedlot			☐ Air Sparge ☐ Soil Vapor E			b) Open Loop Surface Discharge Inj. of Water			
4. 🔲 Industr	rial	Ē	☐ Recovery ☐ Injection			13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? Yes No									
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other									
Casing diameter 1.25 in to 9.3 ft. Diameter in to ft. Diameter in to ft. Casing height above land surface 9.3 in Weight bs./ft. Wall thickness or gauge No. Sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From 9.1 ft. to ft., From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 7.5 ft to 19:2 ft. From ft. to ft. From ft. to ft. From ft. to ft. 9 GROUT MATERIAL: Neat coment vi Cement grout Bentonite Bentonite Granular									
Grout Intervals: From									
Nearest source of possible contamination:									
Septic Tank									
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well									
Other (Specify)									
Direction from well?									
10 FROM	TO			GIC LOG	FROM	то	LITHO, LOG (cont.)	PLUGGING INTERVALS	
6	34	Silty Cla	lan lan	+ 25					
		>400 0	-IPY ICMS	Al Co					
					<u> </u>				
	Notes: Lithologic log based on Electrical Conductivity logging data.								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was constructed, reconstructed, or plugged									
under my i	urisdiction a	and was comp	leted on (mo-dav-vear)7.(!	3/20 and	this record i	s true to the best of r	ny knowledge and belief.	
Kansas Water Well Contractor's License No. 710									
Mail	I white copy a	long with a fee of	S5.00 for ea	ach constructed well to: K	ansas Departmen	t of Health and	Environment, Bureau of	Vater, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.gov/waterwell.index.html KSA 82a-1212 Revised 7/10/2015									