	WELL R		WWC-5		ision of Water		NWL-200	
	Record		ge in Well Use		ources App. N		well ID —	
			Fraction		ction Number			
,			NE 14 NEVA SEY		*			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: City of Wichita/Environmental Health Address: 455 N. Main direction from nearest town or intersection): If at owner's address, check here:								
Address:	455 IV. IVIA	111						
City:	Wichita	State: KS	ZIP: 67202	wichita	,) C)			
3 LOCAT		4 DEPTH OF COM	ADI ETED WELL.	43 ft. 5 Latitude: 37. 72619 (decimal degrees)				
WITH "	X" IN	Depth(s) Groundwater	Tree red well:	17 (decimal degrees)				
SECTIO			3) ft., or 4)					
١ ا	1	WELL'S STATIC WA		_, ,	18 ft. Source for Latitude/Longitude:			
		below land surface	-yr) 3/25/20	GPS (unit make/model: garmen c60				
NW	NF	above land surface	-yr)	(WAAS enabled? ■ Yes □ No)				
	i	Pump test data: Well v		☐ Land Survey ☐ Topographic Map				
w	E	after hour						
SW	SE - X	Well						
1	<u>5</u> E - X		s pumping	gpm	6 Elevat	tion ft	. Ground Level TOC	
	S	Estimated Yield:	gpm 3.25 in to 43	ft and			GPS Topographic Map	
1 r	-				304.34			
mile								
1. Domestic			ater Supply: well ID		10 □ Oil	Field Water Sunnly: 1	ease	
☐ House			ng: how many wells?			Iole: well ID		
	Lawn & Garden 7. Aquifer Recharge: well ID							
Livesto	Livestock 8. ■ Monitoring: well ID N.W.L.c.3							
2. Irrigati								
3. 🔲 Feedlo					b) Open Loop Surface Discharge Inj. of Water			
4. 🔲 Industi	rial	☐ Recovery	☐ Injection		13. □ Otl	ner (specify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? ☐ Yes ■ No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Casing diameter 1.25 in to 28 ft., Diameter in to ft., Diameter in to ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .7.8								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Nearest source of possible contamination:								
☐ Septic		☐ Lateral Lin	-		Livestock Per		cide Storage	
☐ Sewer		Cess Pool	Sewage L		Fuel Storage		loned Water Well	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
10 FROM	TO TO	LITHOLO	GIC LOC	FROM			t. or PLUGGING INTERVALS	
0	5			FROM	10	LITTO, LOG (cont.) 0	I I LUGGING INTERVALS	
5	43	Silty Clay Sand			 			
43	-	Shale			+			
-,	-	> POR 10						
				-	 			
			· · · · · · · · · · · · · · · · · · ·					
	+		· ·	Notes	ithologic log b	ased on Electrical Cond	uctivity logging data	
Notes: Lithologic log based on Electrical Conductivity logging data.								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No. 710 This Water Well Record was completed on (mo-day-year)								
under the business name of Below Ground Surface, Inc. Signature								
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
						ne for your records. Telep		
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								