	WELL R		Form WW			ision of Water		Wall ID NAW-56)	
	Record [Change in W			urces App. No		Well ID	
		ATER WEI	LL: Frac		Section Number Township Number Range Number T 27 S R I DIE W				
			First nmental Health		direction from	al Audicss v	intersection). If at owner	er's address, check here:	
Address:			Timeritai rieala	•	Approx. 100 fr. North of N. Kansas Avc. and 25thst. in				
Address:					open field Wichita, KS				
City:	Wichita	Т.	State: KS ZIP: 67202		<u> </u>		u rajno		
	3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL					38.5 ft. 5 Latitude: 37.73016 (decimal degrees)			
1	SECTION ROY. Depth(s) Groundwater Encountered: 1)					Longitude: 97.31599 (decimal degrees)			
N 2) ft. 3) ft., or 4					4				
1	WELL'S STATIC WATER LEVEL: 2.0. ☑ below land surface, measured on (mo-					Source for Latitude/Longitude: Source for Latitude/Longitude: GPS (unit make/model: garmen c60)			
NW	NF	above land surface, measured on (mo-day-yr)				· (WAAS enabled? ■ Yes □ No)			
1	1	Pump test data: Well water was ft.			ft.	☐ Land Survey ☐ Topographic Map			
w -	E	after	Well water was ft.			☐ Online Mapper:			
sw	SE	after							
		Estimated V	after hours pumping			6 Elevation:ft. Ground Level TOC			
	5	Bore Hole	Diameter: 3.25	ft. and	Source:				
1 m				in. to			Other		
7 WELL WATER TO BE USED AS:									
1. Domestic:	omestic: 5. ☐ Public Water Supply: well ID								
	Lawn & Garden 3. ☐ Dewatering: now many weits? 4. ☐ Aquifer Recharge: well ID								
	☐ Livestock Monitoring: well ID								
	☐ Irrigation 9. Environmental Remediation: well ID					a) Closed Loop			
_	3. Feedlot Air Sparge Soil Vapor					n b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):			
4. 🗌 Industr			Recovery	☐ Injection					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ■ No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 1.25 in to 2.3.5 ft., Diameter in to ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From .28.5 ft. to .3.8.5 ft., From ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From .29:5 ft. to .39.5 ft., From ft. to ft., From ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From ft. to ft. to ft. ft. to ft. From ft. From ft.									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Other (Specify)									
							<u>1</u>		
10 FROM	TO		<u>LITHOLOGIC</u> L	OG	FROM	TO	LITHO. LOG (cont.)	or PLUGGING INTERVALS	
13	13		.у						
26	33	Clay	1.11				 .		
33	38		ywlsand layers	-					
38	-	shale							
		2000							
	Notes: Lithologic log based on Electrical Conductivity logging data.							ductivity logging data.	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No. 710									
under the business name of Below Ground Surface, Inc.									
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,									
				-1367. Mail one to			ne for your records. Telep	phone 785-296-5524.	
Visit us at htt	o://www.kdheks	s.gov/waterwell	/index.html		KSA 82a-12	12		Revised 7/10/2015	