			WWC-5		ision of Water		VIM-MIP-2	
			ge in Well Use		ources App. No.		Well ID	
		VATER WELL:	Fraction		tion Number	Township Numb		
	y: Segwick		SW1/4 SW1/4 NW1/4		4	T 27 S	R 1 ■E□W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: City of Wichita direction from nearest town or intersection): If at owner's address, check here:								
Address: 1900 E. 9th Street Address: 2811 N Ohio. Waste Connections								
City:	Wichita	State: KS	1					
2 LOCATE WITH							77	
WITH "		4 DEPTH OF CO	MPLETED WELL:	15 H			77 (decimal degrees)	
SECTIO	ON BOX:		Encountered: 1)1					
1	2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL:							
			e, measured on (mo-day-			Source for Latitude/Longitude:  GPS (unit make/model:)		
NW	above land surface, measured on							
			water was fi		☐ Land Survey ☐ Topographic Map			
			rs pumping			Online Mapper:		
ew	Well water was							
anter Hours puin			rs pumping	gpm	6 Flovatio	n NA a	Ground Level G TOC	
Estimated Yield:			gpm	0 1	6 Elevation: NA			
S Bore Hole Diameter:3.					1		OI 5	
1 mile  in. to ft.								
7 WELL WATER TO BE USED AS:   1. Domestic:   5.   Public Water Supply: well ID								
1 —	Household 5. ☐ Dewatering: how many wells?				11. Test Hole: well ID			
☐ Lawn & Garden 7. ☐ Aquifer Rec			Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical		
1	☐ Lawn & Garden ☐ Livestock  7. ☐ Aquifer Recharge: well ID				12. Geothermal: how many bores?			
2. 🔲 Irrigat	ion		tal Remediation: well ID					
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vap				extraction				
4. Industrial Recovery Injection					13. 🔲 Other	(specify):		
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:								
Water well disinfected?  Yes No								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Casing diameter 1 in to 8 ft., Diameter in to ft. Diameter in to ft. Casing height above land surface 36 in Weight lbs./ft. Wall thickness or gauge No. Sch. 40								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)  SCREEN-PERFORATED INTERVALS: From .8 ft. to .15 ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 6 ft. to 15 ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: Nest cement Cement grout Repropries Other								
9 GROUT MATERIAL: □ Neat cement □ Cement grout ■ Bentonite □ Other  Grout Intervals: From 0 ft. to .6 ft., From ft. to ft., From ft. to ft.								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer		☐ Cess Pool	☐ Sewage Lag	goon 🔲	Fuel Storage		oned Water Well	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify) Direction from well?  Distance from well?  ft.								
10 FROM								
0	TO 1	Cravel	GIC LUG	FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS	
1	5.5	Gravel Clay, dark brown, mo	ict coff to firm	<del> </del>	<del></del>			
5.5	9.5			<del> </del>				
3.3	3.3	Clay, brown, dense, r staining	noist, petroleum	1				
9.5	12.5		h. froe netroleum	-				
٠.٠	13.5	Sand, brown, fine, sile	ty, iree petroleum	ļ				
13.5	15	product, wet at 13 ft.	200000	Neter	. <u> </u>			
13.3	10	Sand, brown, fine to	coarse, wet,	Notes:				
petroleum odor								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 3-16-2020 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo-day-year) 5/15/140								
under the business name of Environmental Priority Service, Inc. Signature T. A.								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								