
W.	ATER WELL PLUGGING F	RECORD Forn	ı WW	C- 5P	KSA 82:	a-1212 ID NO.	PZ-28	
1	LOCATION OF WATER WELL:	Fraction	/ NIT 1/		Number		Range Number	
ļ	County: Sedgwick Street/Rural Address of Well Location;	SE 1/4 NW1/4 NW1/			ositioning S	T 27 S	1 ZEW	
	Street/Rural Address of Well Location; if unknown, distance & Global Positioning Systems (GPS) information: Latitude: 37.7215532 (in decimal degree							
	check here Former Coastal Re	Latitude: 37.7215532 (in decimal degrees) Longitude: -97 (in decimal degrees)						
	Street, Wichita, K	Elevation: 1314. 88 Horizontal Datum: WGS84, NAD83, NAD27						
					n Method:	□ W G 504, W	NAD63, [NAD2/	
2	WATER WELL OWNER: El Pa	aso. LLC		☐ GP	S unit (Make	e/Model:		
	RR#, St. Address, Box #: 1515 Des Peres Road, Suite 300			☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
	City, State ZIP Code: St. Louis, MO. 63131				Est. Accuracy: \square < 3 m, \square 3-5 m, \square 5-15 m, \square > 15 m			
3								
	WITH AN "X" IN SECTION							
	BOX: WELL'S STATIC WATER LEVEL 19.91 ft							
	WELL WAS USED AS:							
	NW ★ NE	☐ Domestic		Public V	Vater Supply	y Dewa	tering	
	Irrigation — Oil Field Water Supply Monitoring							
W	W Feedlot Domestic (Lawn & Garden) Injection Well Sw Domestic (Lawn & Garden) Other							
	SW SE Industrial Air Conditioning Under							
	Was a chemical/bacteriological sample submitted to Department? Yes No 🗸							
5 TYPE OF BLANK CASING USED:								
	Steel RMP (SR) Wrought Fiberglass Other (Specify below)							
	PVC Asbestos-Cement Concrete Tile							
	Blank casing diameter 2 in. Was casing pulled? Yes V No I If yes, how much 5.5 ft.							
Casing height above or below land surface 30 in.								
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Plug Intervals: From 0 ft. to 27.62 ft., From ft. to ft., From ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Seepage pit Fuel storage Other (specify below)								
Sewer lines Watertight sewer lines Pit privy Sewage lagoon Insecticide storage								
Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feedyard Abandoned water well Direction from well?								
	Cess pool Livestock pens Oil well/Gas well How many feet? 1000							
	FROM TO PLUG	CINC MATERIALS		ED ON 4	T O 1			
		GING MATERIALS		FROM	TO	PLUGGING	MATERIALS	
	0 27.62 Bentonite							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was								
completed on (mo/day/year) 10-8-2020 and this record is true to the best of my knowledge and belief. Kansas Water								
Well Contractor's License No. 604 . This Water Well Record was completed on (mo/day/year) 12/7/2020 under the business name of Environmental Priority Service, Inc. by (signature)								
Jusi	LIVIORITICITAL FILLI	ny Octvice, IIIC.	*******	by (sig		THIT	• 1	
Ser	nd one white copy to Kansas Departm	nent of Health & Envi	ronment,	Geology	Section, 100	00 SW Jackson Stree	t, Ste. 420, Topeka, KS	
	66612-1367. Sei Visit us at http	nd one copy to WATE o://www.kdheks.gov/w	R WELI	LOWNER /index_htm	and retain	one for your records. one 785-296-5524		

KSA82a-1212

Revised 1/20/2015



T27 R1E Sec 4 T27 R1E Sec 9

