
	ATER WELL PLUGGING I	KECUKU FORM W W	/ C-5P KSA 82	2a-1212 ID NO.	L 1-0	
1	LOCATION OF WATER WELL: County: Sedgwick	Fraction SE 1/4 SE 1/4 NW 1/4 NE	Section Number 9	Township Number T 27 S	Range Number 1	
	Street/Rural Address of Well Location; if unknown, distance &		Global Positioning Systems (GPS) information:			
	direction from nearest town or intersect	Latitude: 37.71932	Latitude: 37.71932993 (in decimal degrees) Longitude: -97.32306643 (in decimal degrees)			
	check here Former Coastal Refinery, 2461 N. New York Street, Wichita, Ks.		Longitude: <u>-97.32306643</u> (in decimal degrees)			
			Elevation: 1309.29			
			Horizontal Datum: Collection Method:	∐ WGS84, ∠	NAD83, NAD27	
2	WATER WELL OWNER: EI Pa	☐ GPS unit (Make/Model:				
	RR#, St. Address, Box #: 1515 Des Peres Road, Suite 300 City, State ZIP Code: St. Louis, MO. 63131		☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
			Est. Accuracy: \square < 3 m, \square 3-5 m, \square 5-15 m, \square > 15 m			
ļ	ot. Edulo,	Est. Accuracy:				
3 MARK WELL'S LOCATION 4 DEPTH OF WELL 15.0 collapsed ft.						
	WITH AN "X" IN SECTION					
	N	TER LEVEL NA ft				
		: :				
	NW NE Domestic Public Water Supply Dewatering Monitoring					
l w	W Irrigation Oil Field Water Supply Monitoring Injection Well					
	Industrial Air Conditioning					
	SW SE		- 'm conditioning	L Outer		
	Was a chemical/bacteriological sample submitted to Department? Yes No 🗸					
5	TYPE OF BLANK CASING USE	<u> </u>				
	5 THE OF BLANK CASING USED:					
	Steel RMP (SR) Wrought Fiberglass Other (Specify below) ABS Concrete Tile removed 1 ft. steel surface casing protect					
	Blank casing diameter 4 in. Was casing pulled? Yes No If yes, how much 6 ft.					
	Casing height above or below land surface 0 in.					
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other						
	oncorrence — Neat cement — Cement grout — Bentonne — Other					
	Grout Plug Intervals: From 0 ft. to 15.0 ft., From ft. to ft., From ft., From ft.					
	What is the nearest source of possible contamination:					
	Sentic tenk					
	Sewer lines Seepage pit I Fuel storage Other (specify below)					
Watertight sewer lines Sewage lagoon Insecticide storage						
	Lateral lines Feedyard Abandoned water well Direction from well? N					
	Cess pool Livestock pens Oil well/Gas well How many feet? 1100					
	FROM TO PLUG	GGING MATERIALS	FROM TO	PLUGGING	MATERIALS	
	0 15.0 Bentonite					
_						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was						
completed on (mo/day/year) 10-7-2020 and this record is true to the best of my knowledge and belief. Kansas Water						
Well Contractor's License No. 604 . This Water Well Record was completed on (mo/day/year) 12/2020 under the						
business name of Environmental Priority Service, Inc. by (signature)						
Send one white copy to Kansas Department of Health & Environment Coolege Section 1000 GW Indian Group Coolege Section 1000						
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.						
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.						

KSA82a-1212

Revised 1/20/2015



T27 R1E Sec 4 T27 R1E Sec 9

