
| W | ATER WELL PLUGGING | RECORD | Form WW | C-5P | KSA 82 | 2a-1212 | ID NO. | RW-09 | | |
|---|--|---|--|-----------------------|---|--------------|----------------------|-------------|----------------|--|
| 1 | LOCATION OF WATER WELL: County: Sedgwick | Fraction NE 1/4 SE 1/2 | 4 NW 1/4 NE | Section | on Number | | Number | Range N | Number ▼E □ W | |
| | Street/Rural Address of Well Location; | Global Positioning Systems (GPS) information: | | | | | | | | |
| | direction from nearest town or intersection: If at owner's address, check here Former Coastal Refinery, 2461 N. New York | | | | Latitude: 37.72032314 (in decimal degrees) Longitude: -97.32260133 (in decimal degrees) | | | | | |
| | Street, Wichita, Ks. | | | | Elevation: <u>1308.55</u> | | | | | |
| | | | | | Horizontal Datum: WGS84, NAD83, NAD27 | | | | | |
| 2 | WATER WELL OWNER: El Paso, LLC | | | | GPS unit (Make/Model: | | | | | |
| | RR#, St. Address, Box #: 1515 Des Peres Road, Suite 300 | | | | Digital Map/Photo, Topographic Map, Land Survey | | | | | |
| ļ | City, State ZIP Code: St. Louis, MO. 63131 | | | | uracy: 🔲 < | <3 m, □3 | 3-5 m, | 5-15 m, | \Box > 15 m | |
| 3 MARK WELL'S LOCATION 4 DEPTH OF WELL 27.38 ft. | | | | | | | | | | |
| | BOX: | TER LEVEL 13.33 ft | | | | | | | | |
| | N | S: | | | | | | | | |
| | NW NE - | Public | Public Water Supply | | | | | | | |
| ,, | | | Public Water Supply Oil Field Water Supply Monitoring | | | | | | | |
| ľ | W Feedlot Domestic (Lawn & Garden) Injection Well | | | | | | | | | |
| | SE SE | | | | nditioning | | | recovery | | |
| | | Was a che | emical/bacteri | ological sa | mple submit | tted to Depa | rtment? Ye | es 🗌 N | No 🔽 | |
| 5 | TYPE OF BLANK CASING USE | D: | | | | | | | | |
| | Steel RMP (SR) Wrought Fiberglass Other (Specify below) | | | | | | | | | |
| | Steel RMP (SR) Wrought Fiberglass Other (Specify below) ABS Concrete Tile | | | | | | | | | |
| | Blank casing diameter 12 in. Was casing pulled? Yes No I If yes, how much 5.5 ft. | | | | | | | | | |
| | Casing height above or below land surface 30 in. | | | | | | | | | |
| | | | | | | | | | | |
| 6 | GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other | | | | | | | | | |
| | Grout Plug Intervals: From 0 ft. to 27.38 ft., From ft. to ft., From ft. to ft. | | | | | | | | | |
| | What is the nearest source of possible contamination: | | | | | | | | | |
| | Septic tank Seepage pit Fuel storage | | | | | | | | | |
| | Sewer lines Watertight sewer lines Pit privy Sewage lagoon Fertilizer storage Insecticide storage Insecticide storage | | | | | | | | | |
| | Lateral lines Feedyard Abandoned water well Direction from well? NA | | | | | | | | | |
| | Cess pool Livestock pens Oil well | | | | /Gas well How many feet? 0 | | | | | |
| | FROM TO PLUG | GING MATER | IALS | FROM | ТО | PL | UGGING N | MATERIA | 15 | |
| | 0 27.38 Bentonite | | | | | | DOGN'G II | VIII EIGII | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 7 (| CONTRACTOR'S OR LANDOW | NER'S CERT | IFICATION: | This wa | ater well wa | as plugged | under mv | iurisdictio | n and was | |
| and this record is true to the best of my knowledge and belief Kansas Water | | | | | | | | | | |
| Well Contractor's License No. 604 This Water Well Record was completed on (mo/day/year) 12/1/2020 under the business name of Environmental Priority Service, Inc. by (signature) | | | | | | | | | | |
| | | | | | | | - | | | |
| 361 | nd one white copy to Kansas Departm 66612-1367. Sen | ent of Health & d one copy to V | Environmen WATER WFI | t, Geology L OWNFI | Section, 100 | 00 SW Jack | son Street, | Ste. 420, 7 | lopeka, KS | |
| 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records. Visit us at http://www.kdhcks.gov/waterwell/index.html Telephone 785-296-5524. | | | | | | | | | | |

KSA82a-1212

Revised 1/20/2015



T27 R1E Sec 4 T27 R1E Sec 9

