
	ALEK WELL PLUGGING I	KECUKD	form ww	'C-5P	KSA 82	a-1212 ID NO.	<u> </u>	
1	LOCATION OF WATER WELL: County: Sedgwick	Fraction SW 1/4 NE 3	4 SW 1/4 SE		1 Number	Township Number T 27 S	Range Number 1 E W	
	Street/Rural Address of Well Location; if unknown, distance &				Global Positioning Systems (GPS) information:			
ĺ	direction from nearest town or intersection: If at owner's address, check here Former Coastal Refinery, 2461 N. New York				Latitude: 37.72518083 (in decimal degrees) Longitude: -97.32394435 (in decimal degrees)			
ł					Longitude: -97.32394435 (in decimal degrees)			
	Street, Wichita, Ks.				: <u>1312.14</u>			
İ					al Datum:	☐ WGS84,	NAD83, NAD27	
<u> </u>		 			n Method:			
2					GPS unit (Make/Model: Digital Map/Photo, Topographic Map, Land Survey			
ŀ	RR#, St. Address, Box #: 1515 Des Peres Road, Suite 300 City, State ZIP Code: St. Louis, MO. 63131				Digital Map/Photo, L Topographic Map, L Land Survey			
					Est. Accuracy: \square < 3 m, \square 3-5 m, \square 5-15 m, \square > 15 m			
-	***************************************		<u>135. (Recurdey.</u> — 13 m, — 3-13 m, — > 13 m					
3	MARK WELL'S LOCATION	4 DEPTH	4 DEPTH OF WELL 30.20 ft.					
	WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 19.77							
1	N	S STATIC WA	TER LEVEL 19.77 ft					
		WAS USED A	3:					
	NW NE Domestic Public Water Supply Dewatering							
	Domestic Public water Supply Dewatering							
w	W Irrigation Oil Field Water Supply Monitoring Domestic (Lawn & Garden) Injection Well							
	Today A. C. W. W. C. Carlon Well							
	SE _							
	$ X_{ } $	Was a ch	emical/bacteri	ological sar	nole submit	ted to Department? Y	es No 🔽	
	S			6		or a partition of	L E	
5 TYPE OF BLANK CASING USED:								
Steel RMP (SR) Wrought Fiberglass Other (Specify below)								
	PVC ABS Asbestos-Cement Concrete Tile							
	Blank casing diameter 14 in. Was casing pulled? Yes No If yes, how much 8 ft.							
Casing height above or below land surface 30 in.								
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other								
- Acat cement — Cement grout — Bentonne — Other								
	Grout Plug Intervals: From 0 ft. to 30.20 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:								
	Septic tank Seepage pit Fuel storage Other (specify below)							
	Sewer lines Pit privy Fertilizer storage contaminated site							
		ewage lagoon		cide storage				
		eedyard		ned water		ection from well? NA		
	Cess pool Li	ivestock pens	Ul Wel	I/Gas well	Hov	w many feet? 0		
	FROM TO PLUG	CDICALATE	DIATO					
		GING MATE	RIALS	FROM	ТО	PLUGGING	MATERIALS	
	0 30.20 Bentonite	****						
						1. 17 7. 27. 27. 27. 27. 27. 27. 27. 27. 27.		

		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was								
completed on (mo/day/year) 10-13-2020 and this record is true to the best of my knowledge and belief. Kansas Water								
Well Contractor's License No. 604 . This Water Well Record was completed on (mo/day/year) 17/2000 under the								
business name of Environmental Priority Service, Inc. by (signature)								
~		-						
Sen	d one white copy to Kansas Departn	nent of Health	& Environmer	t, Geology	Section, 10	00 SW Jackson Street	, Ste. 420, Topeka, KS	
	66612-1367. Ser	nd one copy to	WATER WEI	L OWNE		one for your records.		
Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> Telephone 785-296-5524.								

KSA82a-1212

RW-34

Revised 1/20/2015



T27 R1E Sec 4 T27 R1E Sec 9

