
\mathbf{W}	ATER WELL PLUGGING I	RECORD	Form WW	/C-5P	KSA 82	a-1212 ID	NO.	RVV-35		
1	LOCATION OF WATER WELL: County: Sedgwick	Fraction NW 1/4 NW !	¼ SE ¼ SE	Section	n Number	Township No		Range N	Number E W	
	Street/Rural Address of Well Location; if unknown, distance & Global Positioning Systems (GPS) information:									
		Latitude: 37.72561003 (in decimal degrees) Longitude: -97.32164414 (in decimal degrees)								
	check here Former Coastal Refinery, 2461 N. New York Street, Wichita, Ks.				Elevation: <u>1313.10</u>					
					Horizontal Datum: ☐ WGS84, ☑ NAD83, ☐ NAD27 Collection Method:					
2	WATER WELL OWNER: El Paso, LLC				GPS unit (Make/Model:					
-	RR#, St. Address, Box #: 1515 Des Peres Road, Suite 300 City, State ZIP Code: St. Louis, MO. 63131				Digital Map/Photo, Topographic Map, Land Survey					
					Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square > 15 m					
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION	4 DEPTH OF WELL <u>34.35</u> ft.								
	BOX:	WELL'S STATIC WATER LEVEL 15.41 ft								
		WELL WAS USED AS:								
	NW NE	☐ Dom	estic	Public	Water Suppl	y 🔲	Dewat	tering		
w	,	Irriga		Oil Fiel	ld Water Sup	oply 🔼	Monit	oring		
, vv		Feed Indus	L '		tic (Lawn & aditioning	Garden)		ion Well recovery	,	
	SW - SE -				_	البسقا				
		Was a ch	emical/bacteri	ological sai	nple submitt	ted to Departm	ent? Y	es	No 🔽	
5 TYPE OF BLANK CASING USED:										
	Steel RMP (SR) Wrought Fiberglass Other (Specify below) ABS Concrete Tile									
	Concrete The									
	Blank casing diameter 14 in. Was casing pulled? Yes No If yes, how much 8 ft. Casing height above or below land surface 30 in.									
one many the first above of below faile surface 30 III.										
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Cother										
Grout Plug Intervals: From 0 ft. to 34.35 ft., From ft. to ft., From ft. to ft.										
What is the nearest source of possible contamination:										
Septic tank Seepage pit Fuel storage Other (specify below)										
	Sewer lines Pit privy Fertilizer storage contaminated site									
	Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feedyard Abandoned water well Direction from well? NA									
	Cess pool Livestock pens Oil well/Gas well How many feet? 0									
	FROM TO PLUG	GING MATE	DIAIC	FROM	ТО	DITIO	CDIC	MATERIA		
	0 34.35 Bentonite	OING MATE	ICIALS	TROM	10	PLUG	UNU	MATERIA	YES	
	Bornorine									
		1844 <u></u>								
,	ONTO A CITO DATA CONTRACTOR			·						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 10-14-2020 and this record is true to the best of my knowledge and belief. Kansas Water										
Well Contractor's License No. 604 . This Water Well Record was completed on (mo/day/year) 12026 under the										
busi	ness name of Environmental Prior	ity Service, Ir	nc.	by (si	gnature) _	th not	· — •			
Ser	nd one white copy to Kansas Departn	ent of Health	& Environmen	t Geology	Section 10	00 SW Jackson	Street	Ste 420	Toneka KS	
	66612-1367. Ser	nd one copy to	WATER WEI	LL OWNE	R and retain	one for your re	ecords.	, 510. 420,	Topeka, NO	
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.										

KSA82a-1212

RW-35

Revised 1/20/2015



T27 R1E Sec 4 T27 R1E Sec 9

