

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

TMW-01

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Sedwick Fraction NE 1/4 NE 1/4 NE 1/4 SE 1/4 Section Number 3 Township Number T 27 S Range Number R 1 E W

2 WELL OWNER: Last Name: KDHE Business: KDHE Address: 1000 SW Jackson St. City: Iopeka State: Ks. ZIP: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): Approx. 100' W. of E. 25th St. + N. Hillside St. Wichita, Ks.

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S 1 mile

4 DEPTH OF COMPLETED WELL: 17 ft. Depth(s) Groundwater Encountered: 1) ... ft. 2) ... ft. 3) ... ft., or 4) Dry Well WELL'S STATIC WATER LEVEL: 8.52 ft. below land surface, measured on (mo-day-yr) 4-7-22

5 Latitude: 37.730075 (decimal degrees) Longitude: 97.299462 (decimal degrees) Horizontal Datum: WGS 84

6 Elevation: NA ft. Source: GPS

7 WELL WATER TO BE USED AS: 1. Domestic: Household, Lawn & Garden, Livestock, Irrigation, Feedlot, Industrial. 2. Public Water Supply, Dewatering, Aquifer Recharge, Monitoring, Environmental Remediation, Air Sparge, Soil Vapor Extraction, Recovery, Injection, Oil Field Water Supply, Test Hole, Geothermal, Closed Loop, Open Loop, Other.

Was a chemical/bacteriological sample submitted to KDHE? No. Water well disinfected? No.

8 TYPE OF CASING USED: PVC CASING JOINTS: Threaded Casing diameter 2 in. to 0 ft., Diameter 0 in. to 0 ft., Diameter 0 in. to 0 ft. Casing height above land surface 0 in. Weight 0 lbs./ft. Wall thickness or gauge No. SCH 40

TYPE OF SCREEN OR PERFORATION MATERIAL: PVC SCREEN OR PERFORATION OPENINGS ARE: Mill Slot

SCREEN-PERFORATED INTERVALS: From 7 ft. to 17 ft. GRAVEL PACK INTERVALS: From 5 ft. to 17 ft.

9 GROUT MATERIAL: Other cement pad Grout Intervals: From 1 ft. to 17 ft., From 0 ft. to 1 ft., From 0 ft. to 1 ft., From 0 ft. to 0 ft.

Nearest source of possible contamination: Other (Specify) PCE Plume Direction from well? NW Distance from well? NA ft.

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-5 Clay, dark brown, stiff, moist; 5-9 Clay, light brown, stiff, slightly moist; 9-15 Clay, olive, stiff, dry; 15-17 Clay, red brown, stiff, silty in part, dry; Trace shale.

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 4-6-2022 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo-day-year) 5/3/22 under the business name of Environmental Priority Service, Inc. Signature [Signature]



SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS

8575 W 110TH STREET, SUITE 100
 OVERLAND PARK, KS 66210
 PH. (913) 681-0030 FAX. (913) 681-0012

PROJ. NO. 27221403.00	DRAWN BY: JDJ	APP. BY: SLM
CHK. BY: JDJ	CHK. BY: JDJ	

CLIENT:

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
 BUREAU OF ENVIRONMENTAL REMEDIATION
 1000 SW JACKSON STREET, SUITE 410
 TOPEKA, KANSAS 66612

SHEET TITLE:

Figure 2: SITE LAYOUT AND WELL LOCATIONS MAP

PROJECT TITLE:

PCE - EAST 21ST STREET UPGRADE
 2620 EAST 21ST STREET NORTH,
 WICHITA, KANSAS

DATE:

12/7/2021

SCALE:

AS SHOWN

FIGURE NO.

2 of 2