


Mw. 2

Mw. 2 WATER WELL RECORD Form WWC-5 KSA 82a-1212

Form WWC-5

KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number		Range Number	
County: SEDGWICK		SW 1/4 SE 1/4 SW 1/4	73		T 27 S		R 1 E/W	
Distance and direction from nearest town or city street address of well if located within city?								
2102 E-21st, WICHITA, KS								
2 WATER WELL OWNER: COASTAL REMEDIATION CORP.								
RR#, St. Address, Box #			PO BOX 1030			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code			WICHITA, KS 67201-1030			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 23 ft. ELEVATION: 1312.33					
			Depth(s) Groundwater Encountered 1. 17 ft. 2. ft. 3. ft.					
			WELL'S STATIC WATER LEVEL 17.37 ft. below land surface measured on mo/day/yr 6-20-94					
			Pump test data: Well water was ft. after hours pumping gpm					
			Est. Yield gpm; Well water was ft. after hours pumping gpm					
Bore Hole Diameter: 8 in. to ft., and in. to ft.			WELL WATER TO BE USED AS:					
			5 Public water supply 8 Air conditioning 11 Injection well					
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted								
Water Well Disinfected? Yes No								
5 TYPE OF BLANK CASING USED:								
1 Steel			3 RMP (SR)			5 Wrought iron		
2 PVC			4 ABS			6 Asbestos-Cement		
						7 Fiberglass		
Blank casing diameter 2 in. to ft., Dia			in. to ft., Dia			CASING JOINTS: Glued Clamped		
Casing height above land surface FLUSH 0 in., weight 0.703 lbs./ft.			Wall thickness or gauge No. 0.134			Welded		
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel			3 Stainless steel			5 Fiberglass		
2 Brass			4 Galvanized steel			6 Concrete tile		
						7 PVC		
						8 RMP (SR)		
						9 ABS		
						10 Asbestos-cement		
						11 Other (specify)		
						12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot			3 Mill slot			5 Gauzed wrapped		
2 Louvered shutter			4 Key punched			6 Wire wrapped		
						7 Torch cut		
						8 Saw cut		
						11 None (open hole)		
SCREEN-PERFORATED INTERVALS: From 13 ft. to 23 ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 12 ft. to 23 ft., From ft. to ft.								
6 GROUT MATERIAL:								
1 Neat cement			2 Cement grout			3 Bentonite		
4 Other								
Grout Intervals: From 12 ft. to 15 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank			4 Lateral lines			7 Pit privy		
2 Sewer lines			5 Cess pool			8 Sewage lagoon		
3 Watertight sewer lines			6 Seepage pit			9 Feedyard		
						10 Livestock pens		
						11 Fuel storage		
						14 Abandoned water well		
						15 Oil well/Gas well		
						16 Other (specify below)		
Direction from well? NORTH								
FROM TO LITHOLOGIC LOG			FROM TO PLUGGING INTERVALS					
0 2 CLAY								
9 23 SAND								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-20-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 6-22-94 under the business name of GST by (signature) Robert J. Betts								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.								