			R WELL RECOP		/WC-5 KSA 82a				
OCATION OF WATER WEI	LL Frac	ction	NE		Section Number	Township	Number	Range Nu	
ance and direction from ne			NE 1/4		et address of well if		S city?	HIL	E/W
<u>.E. Wichita, Kan</u> s	sas				00 E. 21st St			Well #9	
VATER WELL OWNER:									
#, St. Address, Box # :							-	Division of Water	Resour
State, ZIP Code : \							tion Number:		
DEPTH OF COMPLETED V								. in. to	
Water to be used as:		blic water si			conditioning		Injection well		
Domestic 3 Feedlot		field water			watering		Other (Specify	•	
2 Irrigation 4 Industrial I's static water level 1	/La\ م 12.5	wn and gard	en only	710 <u>00</u>	servation well			8n	
_								•	
10. 11									gr
TYPE OF BLANK CASING			5 Wrought iron		Concrete tile				
	RMP (SR)		6 Asbestos-Cer		Other (specify below		=	ed	
X2 PVC 4	ABS		7 Fiberglass			·		ded	
nk casing dia4	in. to .	13.0	ft., Dia		. in. to	ft., Dia .		. in. to	
ing height above land surfa	ice	2.4	in., weight		lbs.	/ft. Wall thickne	ess or gauge N	lo 200	
PE OF SCREEN OR PERF	ORATION MAT	TERIAL:		Х	7 PVC		Asbestos-ceme		
1 Steel 3	Stainless steel	I	5 Fiberglass		8 RMP (SR)	11 (11 Other (specify)		
	Galvanized ste	eel	6 Concrete tile		9 ABS		None used (ope		
en or Perforation Openings			5	Gauzed wrapp	ped)	(8 Saw cut		11 None (open	hole)
1 Continuous slot			6 Wire wrapped			9 Drilled hole			
	4 Key punched			Torch cut				:ify)	
en-Perforation Dia 4	in. to	23	Oft., Dia		in. to	ft., Dia		in to	
en-Perforated Intervals:	From	ا ، د .اا	Uft. to	23.0	ft., From		ft. to		
vel Pack Intervals:	From		π. το		ft., From		π. το		
ver Fack IIIIervais.	From				ft., From				
SPOUT MATERIAL		. Y			Bentonite 4				
SHULLI MALERIAL	I Nest comen								
uted Intervals: From 0 .	Neat cemen	0 10.	0 ft From	,	ft to	ft Fro	m	ft to	
uted Intervals: From0 ,	• 0 ft. to	o 10!	0 ft., From		ft. to	ft., Fro	m	ft. to	
uted Intervals: From0 at is the nearest source of p	• 0 ft. to possible contar	o10! mination:	0 ft., From		ft. to 10 Fuel s	ft., Fro storage	m	oandoned water	
uted Intervals: From0 at is the nearest source of p	• 0 ft. to possible contar 4 Cess pool	o10! mination:	0 ft., From 7 Sewag	je lagoon	ft. to	tt., Fro storage zer storage	m	ontice to the state of the stat	well
uted Intervals: From0 at is the nearest source of p 1 Septic tank 2 Sewer lines	 0 ft. to possible contain 4 Cess pool 5 Seepage pi 	o10! mination:	0 ft., From 7 Sewag 8 Feed y	je lagoon vard	ft. to	tt., Fro storage zer storage icide storage	m	onticutorian that the second one of the second of the seco	well
uted Intervals: From0 at is the nearest source of p 1 Septic tank 2 Sewer lines 3 Lateral lines	.0 ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy	o10 mination: it	0 ft., From 7 Sewag 8 Feed y 9 Livesto	je lagoon /ard ock pens	ft. to	tt., Fro storage zer storage icide storage tight sewer line	m	tt to	 well ow)
uted Intervals: From0, at is the nearest source of particular tank 2 Sewer lines 3 Lateral lines ction from wellAL	.0 ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy	o10 mination: it How	7 Sewag 8 Feed y 9 Livesto	ge lagoon yard ock pens	ft. to	tt., Fro storage zer storage icide storage tight sewer line Well Disinfecte	m	ondoned water I well/Gas well ther (specify belorocarbon .H	well ww) 2 ⁰
uted Intervals: From 0 at is the nearest source of particular tank 2 Sewer lines 3 Lateral lines ction from well All a chemical/bacteriological submitted	.0 ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy L	o10! mination: it How litted to Depa	7 Sewag 8 Feed y 9 Livesto many feet	ge lagoon yard ock pens 0	ft. to	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte	m	onth. to	well
uted Intervals: From 0 at is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines action from well Ales a chemical/bacteriological submitted	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy L	o10t	7 Sewag 8 Feed y 9 Livesto many feet	ge lagoon yard ock pens 0	ft. to	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte	m	on ft. to	well
at is the nearest source of part is source of pa	O ft. to possible contar Cess pool Seepage pi Pit privy L	o 10 mination: it How litted to Depa	7 Sewag 8 Feed y 9 Livesto many feet	ge lagoon yard ock pens 0	ft. to	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte	m	on ft. to	well
uted Intervals: From0 at is the nearest source of part is the nearest source of part is the nearest source of part is sever lines. 3 Lateral lines at ction from well	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy L	o10 mination: it How itted to Depa	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard ock pens Oy Model t. Pumps 3 Jet	10 Fuel s 11 Fertiliz 12 Insect 13 Water	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte	14 Ab 15 Oi X16 Ot es H.y.d I d? Yes	tt. to	well 20 te samp gal./m
at is the nearest source of parties tank 2 Sewer lines 3 Lateral lines ction from well	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy L	o10 mination: it How litted to Department of the control of the co	7 Sewag 8 Feed y 9 Livesto many feet	de lagoon yard book pens 0	10 Fuel s 11 Fertiliz 12 Insect 13 Water 15 No ear: Pump Installed No. 16 Capacity rated at 1 17 Fertiliz 18 Unsect 19 Water 19 Water 10 No 10 Pump Installed 10 Pump Installed 11 Pump Installed 12 Pump Installed 13 Pump Installed 14 Centr	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte	m	tt. to	well 20. te samp gal./m her n and w
uted Intervals: From	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy L	o10 mination: it How itted to Depa	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard ook pens 0	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr onstructed, (2) reco	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte d? Yes	m 14 Ab 15 Oi X16 Ot es H.y.d I d? Yes	ondoned water I well/Gas well ther (specify belorocar bon H. No X. If yes, da No X. Volts G 6 Other my jurisdictio	well 20. te samp gal./m her n and w
at is the nearest source of part is source of part is source of part is source of part is source. All is a chemical/bacteriological is submitted	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy L	o10 mination: it How itted to Department in the control of the contr	7 Sewag 8 Feed y 9 Livesto many feet	de lagoon yard yard pock pens 0	10 Fuel s 11 Fertilis 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr onstructed, (2) reco	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte d? YesHP	m 14 Ab 15 Oi X16 Ot es Hyd i d? Yes	tt. to	well 20. te samp gal./m her n and w
at is the nearest source of part is source of part is source of part is source of part is source. All is a chemical/bacteriological is submitted	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy L	nination: it How litted to Department 2 ERTIFICATION wledge and I	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard ock pens O	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) reconducted tractor's License No. 10 1	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d I d? Yes	tt. to	well 20. te samp gal./m her n and w
at is the nearest source of parties tank 2 Sewer lines 3 Lateral lines action from well	of the contains of the contain	o10 mination: it How litted to Department of the depa	7 Sewag 8 Feed y 9 Livesto many feet	Je lagoon yard Ock pens Ock pens Model t. Pumps 3 Jet well was (1) C 26	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d I d? Yes	ft. to	well 20
uted Intervals: From	O	nination: it How itted to Department of the control of the contr	7 Sewag 8 Feed y 9 Livesto many feet	je lagoon yard ook pens 0	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d I d? Yes	tt. to	well 20
uted Intervals: From	O	nination: it How itted to Department of the tensor of th	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d I d? Yes	ft. to	well 20
at is the nearest source of particles. It is a chemical/bacteriological submitted. But the session of pump Intake	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
at is the nearest source of parties tank 2 Sewer lines 3 Lateral lines ction from well	O	nination: it How itted to Department of the tensor of th	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
at is the nearest source of parties tank 2 Sewer lines 3 Lateral lines ction from well	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
at is the nearest source of parties tank 2 Sewer lines 3 Lateral lines ction from well All a chemical/bacteriological submitted 25 Pump Manufacturer's nath of Pump Intake 26 ONTRACTOR'S OR LAND pleted on 1.1 27 This record is true to the beauties was considered was cons	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
at is the nearest source of parties tank 2 Sewer lines 3 Lateral lines ction from well	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
at is the nearest source of parties tank 2 Sewer lines 3 Lateral lines ction from well All a chemical/bacteriological submitted 25 Pump Manufacturer's nath of Pump Intake 26 ONTRACTOR'S OR LAND pleted on 1.1 27 This record is true to the beauties was considered was cons	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
t is the nearest source of p 1 Septic tank 2 Sewer lines 3 Lateral lines ction from well Al a chemical/bacteriological submitted s: Pump Manufacturer's na th of Pump Intake of pump: 1 CONTRACTOR'S OR LAND bleted on 1.1 this record is true to the be Water Well Record was co e of DANIELS DRILL OCATE WELL'S LOCATION OX:	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
at is the nearest source of particle and source of DANIELS DRILL OCATE WELL'S LOCATION SOX: The particle and source of particle and source and sourc	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
tis the nearest source of particle and the second s	O	nination: it How itted to Department of the control of the contro	7 Sewag 8 Feed y 9 Livesto many feet	le lagoon yard yard yard yard yard yard yard yard	ft. to 10 Fuel s 11 Fertiliz 12 Insect 13 Water No ear: Pump Installed No. Capacity rated at 4 Centr constructed, (2) record tractor's License No. 10 August	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es H.y.d i d? Yes	ft. to	well 20
at is the nearest source of particles that is the nearest source of particles to the second source of particles. I Septic tank Second second source of particles. Atternal lines of particles and chemical/bacteriological submitted. Second submitted. Second submitted. CONTRACTOR'S OR LAND pleted on	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy . L	and the state of t	7 Sewag 8 Feed y 9 Livesto many feet	je lagoon yard ock pens 0	to 10 Fuel s 11 Fertilia 12 Insect 13 Water 10 No 10 Fump Installed 11 Fertilia 12 Insect 13 Water 11 No 12 FROM	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 At 15 Oi X16 Ot S Hyd I d? Yes	ft. to	well 20
t is the nearest source of particle and the second	O ft. to possible contar 4 Cess pool 5 Seepage pi 6 Pit privy . L	and the state of t	7 Sewag 8 Feed y 9 Livesto many feet	je lagoon vard ock pens 0	10 Fuel s 11 Fertilis 12 Insect 13 Water	ft., Fro storage zer storage icide storage tight sewer line Well Disinfecte 1? Yes	14 Ab 15 Oi X16 Ot es Hydi d? Yes X 5 Reciprocating 3) plugged und Li	the to	well 20