


1 LOCATION OF WATER WELL: County: <b>SEDGWICK</b>		Fraction: <b>SW 1/4 SE 1/4 SW 1/4</b>		Section Number: <b>4</b>		Township Number: <b>T 21 S</b>		Range Number: <b>R 1 E</b>	
Distance and direction from nearest town or city street address of well if located within city? <b>NW of 21st &amp; Broadway</b> <span style="float:right"><b>WN D-335</b></span>									
2 WATER WELL OWNER: RR#, St. Address, Box # : <b>WN D - March Oil Co</b> City, State, ZIP Code : <b>1223 N. Rock Rd Wichita, KS</b> Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">  </div>			4 DEPTH OF COMPLETED WELL: <b>25</b> ft. ELEVATION: Depth(s) Groundwater Encountered: <b>14.51</b> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL: <b>14.51</b> ft. below land surface measured on mo/day/yr <b>6-4-92</b> Pump test data: Well water was . ft. after . hours pumping . gpm Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm Bore Hole Diameter: <b>8</b> in. to . ft., and . in. to . ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only <b>10 Monitoring well</b> 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes . No <b>X</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes . No <b>X</b>						
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . Clamped . <b>2 PVC</b> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . Blank casing diameter . in. to <b>15</b> ft., Dia . in. to . ft., Dia . in. to . ft. Casing height above land surface . in., weight <b>.69</b> lbs./ft. Wall thickness or gauge No. <b>154A</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) . 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <b>3 Mill slot</b> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) . SCREEN-PERFORATED INTERVALS: From <b>15</b> ft. to <b>25</b> ft. From . ft. to . ft. GRAVEL PACK INTERVALS: From <b>13</b> ft. to <b>25</b> ft. From . ft. to . ft. From . ft. to . ft. From . ft. to . ft.									
6 GROUT MATERIAL: <b>1 Neat cement</b> <b>2 Cement grout</b> <b>3 Bentonite</b> 4 Other . Grout Intervals: From . ft. to <b>4</b> ft. From . ft. to <b>4</b> ft. From . ft. to <b>11</b> ft. From <b>4</b> ft. to <b>13</b> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well <b>3 Watertight sewer lines</b> 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? <b>South</b> How many feet? <b>35</b>									
FROM TO LITHOLOGIC LOG					FROM TO PLUGGING INTERVALS				
<b>0 25 Clay Sand</b>					<b>variance granted</b>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>5-29-92</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>517</b> This Water Well Record was completed on (mo/day/yr) <b>6-8-92</b> under the business name of <b>Groundwater Technology, Inc.</b> by (signature) <b>Steven R. Mitchell</b>									