

1 LOCATION OF WATER WELL: County: **SEDGWICK** Fraction: **E-N/2 NE 1/4 SW 1/4** Section Number: **4** Township Number: **T 27 S** Range Number: **R 1 E**


Distance and direction from nearest town or city street address of well if located within city?

NE of 21st & Broadway - NW 100' S of 25th

WND-36S

2 WATER WELL OWNER: **WIND - MARCH ON CO.**
RR#, St. Address, Box #: **1223 N. Rock Road**
City, State, ZIP Code: **Wichita, KS**
Board of Agriculture, Division of Water Resources
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: **25** ft. ELEVATION:

Depth(s) Groundwater Encountered 1. **15.4/4** ft. 2. ft. 3. **6-5-92** ft.

WELL'S STATIC WATER LEVEL **15.4/4** ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter **8** in. to ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only **10** Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No **X**

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped

2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded

Blank casing diameter **2** in. to **15** ft., Dia. in. to ft., Dia. in. to ft.

Casing height above land surface **24** in., weight **.69** lbs./ft. Wall thickness or gauge No. **154**

TYPE OF SCREEN OR PERFORATION MATERIAL: **7** PVC 10 Asbestos-cement

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot **3** Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From **15** ft. to **25** ft., From ft. to ft.

GRAVEL PACK INTERVALS: From **13** ft. to **25** ft., From ft. to ft.

From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: **1** Neat cement **2** Cement grout **3** Bentonite 4 Other

Grout Intervals: From **0** ft. to **3** ft., From **3** ft. to **11** ft., From **11** ft. to **13** ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)

Direction from well? **WIND** How many feet? **1300**

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 **7** **Clay** **0** **7**

7 **25** **Sand** **7** **25**