

Copy - Ob

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Sedgwick	SE 1/4 NW 1/4 SE 1/4	4	T 27 S	R 1E EW

Distance and direction from nearest town or city street address of well if located within city?

1100 feet north of 21st street and 195 feet west of Cleveland**Well #36A**

2 WATER WELL OWNER:	Derby Refining Company	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	P. O. Box 1030	Application Number:
City, State, ZIP Code :	Wichita, Kansas 67201	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 27 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 10.6 ft. below land surface measured on mo/day/yr 2-17-83 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 25 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering X 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Product Recovery Was a chemical/bacteriological sample submitted to Department? Yes. No X If yes, mo/day/yr sample was sub- mitted Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
X 2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 6 in. to 7 ft., Dia in. to ft.			11 Other (specify)
Casing height above land surface 24 in., weight lbs./ft. Wall thickness or gauge No. Schedule 200			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:	X 7 PVC	8 RMP (SR)	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	6 Concrete tile
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	X 8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 7 ft. to 26 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	X 2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 7 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	X 11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	

Direction from well? NORTHEAST	How many feet? 40
FROM TO LITHOLOGIC LOG	FROM TO LITHOLOGIC LOG
0.0 15.0 0.3 Silty Clay	
15.0 25.0 0.5 Sand	
25.0 Bottom of hole	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-17-83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 415 This Water Well Record was completed on (mo/day/yr) 3-2-83 by (signature) Daniel W. Daniels, M. E.
under the business name of Daniels Drilling Company
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

BW

SEC.

4

SE 1/4

NW 1/4

SE 1/4