			VVAIC	N WELL	NECOND	FOITH VV	VVC-5	NOA 02a	-1212					
LOCATION OF WATER WELL:			Fraction	–			Section Number		Township Nu		ber	Range Numb		per
County:		edgwick	NE <sub>1/4</sub>			NE <sub>1/4</sub>		5	T		S	R	1 	(E)W
Distance	and direction	from nearest tov	wn or city street a	ddress o	f well if loca	ted within	city?							0
	2957 Nort	h Broadway												
2 WATE	R WELL OW		Kathleen Dol	e-Airold	it									
RR#, St.	Address, Box	<b>(#</b> :	13 Balclutha	Drive					Boa	rd of Agr	iculture, C	Division of	Water Re	esources
City, Stat	e, ZIP Code	:	Corte Madera	a, Ca 9	4925				App	lication N	lumber:			
LOCAT	TE WELL'S LO	OCATION WITH N BOX:	4 DEPTH OF C	OMPLET	TED WELL	19	ft	. ELEVA	TION:	A				
7	, 1	<u> </u>	Depth(s) Ground WELL'S STATIC	WATER	LEVEL		π. below	land sun	race measu	rea on m	io/day/yr			
	NW	NE			ta: Well wa									
			Est. Yield Bore Hole Diame											
ž w	1	I E	WELL WATER T	*			water sup		8 Air condi					
7		.	1 Domestic	3	Feedlot	6 Oil fie	ld water s	upply	9 Dewateri	ng	12 (	Other (Spe	cify belo	w)
	**	35	2 Irrigation	4	Industrial	7 Lawn	and garde	en only (1	Monitorir	ng well .				
l l	i	1	Was a chemical/b	oacteriolo	ogical sample	e submitted	to Depart	ment? Ye	es	ю. <u>X</u>	; If yes,	mo/day/yr	sample	was sub
Ι ,	S		mitted						er Well Dis				lo X	
5 TYPE	OF BLANK C	ASING USED:		5 Wrot	ught iron	8 0	Concrete ti	le	CASIN	IG JOIN	rs: Glued	I C	lamped .	
<b>1</b> 1 S	Steel	3 RMP (S	R)	6 Asbe	estos-Cemen	t 9 C	Other (spec	cify below	<i>(</i> )		Welde	ed		
(2)P	VC	4 ABS		7 Fiber	rglass						Threa	ded. X		
Blank cas	sing diameter	2	.in. to 9				in. to		ft Dia					
			0										40	
		R PERFORATION		.,	•		7)PVC				tos-ceme			
	Steel	3 Stainless		5 Fiber	rglass	_	8 RMP (S	SR)						
2 B	Brass	4 Galvaniz	red steel		crete tile		9 ABS	,			used (ope			
SCREEN	OR PERFOR	RATION OPENIN	IGS ARE:		5 Gau	zed wrapp	ed		8 Saw cu			11 None	(open he	ole)
1 C	Continuous slo	t <u>(</u> 3)м				d 9 Drilled			d holes					
2 L	ouvered shutt		ey punched		7 Toro	ch cut			10 Other (	specify)	<i>.</i>	<b>.</b>		
SCREEN	-PERFORATE	D INTERVALS:	From		ft. to		. 19							
			From		ft. to		<b></b> .	ft., Fron	n		ft. to	o		ft.
	GRAVEL PAG	CK INTERVALS:	From	7	ft. to		19	ft., Fron	n		ft. to	)		ft.
			From		ft. to			ft., Fron	n		ft. to			
GROU	IT MATERIAL	: 1 Neat of	cement . ft. to	2) Ceme	nt grout	(3)	3entonite	_ 4 (	Other					
Grout Inte	ervals: Fror	n <b>0</b>	. ft. to	ft.,	From	5	ft. to		ft., Fr	om		. ft. to .		ft.
		urce of possible							ock pens			andoned		
1 Septic tank 4 Lateral lines			al lines	nes 7 Pit privy				(11) Fuel sto			orage 15 Oil well/Gas			
2 Sewer lines 5 Cess.						goon	oon 12 Ferti				16 OI	16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9	9 Feedyard		13 Insecticide storage							
Direction	from well?	northy	vest					How man	y feet?			200		
FROM	то		LITHOLOGIC	LOG		FRC	M 7	ro		PLU	GGING IN	ITERVALS	3	
0	1'	topsoi												
_1'	_ 3'		cbrn, sl slty, da											
3	5		mod brn, sl slty											
_5	10		l/brn, f-m, w sr											
10	19	snd, y	l/brn, f-c, tr gr	/I, mod	srtd,									
		sat at	14'											
	_													
	. [													
	1 1									Site	D 0004	2165		
										MW1	0-flush	mount c	over	
CONT	DACTORIC C	D I ANDOMNE	DIS CERTIFICATION	ONL THE				l_		(0)				
T COM	d on /mo/de-	year)12-27-	R'S CERTIFICATION			1								
		year) (キュニィー s License No							d is true to		of my kno		nd belief. 25-94	Kansas
	business nar	- 1 -	ore Services, Ir	<i>.</i>	This Water	weii Hecoi				3:3	10	10	···. • · · · ·	
			pen. PLEASE PRESS F		DOMET -1	Di ## *- *	·	y (signatu		-all	UMP	T		tmar'
			DIRECT PLEASE PHESS F	interior r and	rmini clearly.	riease till in b	ranks, underl		the correct ar VNER and reta			copies to Kar	isas Depart	unent