1 LOCATION OF WATER WELL:	FRACTION AL	Water Well Record	Form WWC-5	KSA 82a-1212 Section Numbe	Township Num		Pance	Number
Ľ	/	W SE SE NW						
Sedqwick	8-E , 1/4	SE 1/4 S /	B 1/4	6	т 27	S	R 1	E _{E/W}
Distance and direction frem nearest town or city street address of well if located within city?								
2656 N. Charles Wichita, Kansas								
2 WATER WELL OWNER: BEAL	ER, Olive							
RR#, ST. ADRESS, BOX#: 535 E. 5th Board of Agriculture, Divivsion of Water Resource								Resource
CITY, STATE, ZIP CODE: Eldo	n, MO. DI	UCCED	Application Number:					
3 LOCATE WELL'S LOCATION WITH		MPLETED WELL	27	ft. E	LEVATION:			
AN "X" IN SECTION BOX:	Depth(s) groundw		1	ft.	2	ft.	3	ft.
	, .	ATER LEVEL 13	_		SURFACE MEASURED O		06/08	
	Pump tes		ater was			_		•
NW	Est. Yield		ater was ater was	ft.	after	hours pump		gpm
4 4 1		91		ft.	after	hours pum		gpm
	Bore Hole Diameter WA	C .	to	ft.,	and	in.	to	ft.
	WELL WATER TO		Public water		8 Air conditioning		ijection well	. bl>
swse	1 Domestic		Oil field wa		9 Dewatering	12 0	ther (Specify	neiow)
	2 Irrigation		Lawn and g		10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was								
submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other (Specific							
2 PVC 4 ABS		7 Fiberglass				T	hreaded	X
	in. to	ft., Dia	in.	to	ft. , Dia	in.	to	ft.
Casing height above land surface 6		weight		lbs. / ft.	Wall thickness or g		•••	
TYPE OF SCREEN OR PERFORAT	weight 1bs. / it. 7 PVC				sbestos-ceme	nt		
1 Steel 3 Stainless Steel	5 Fiberglass 8 RMP (SR)			11 o	ther (specify))		
2 Brass 4 Galvanized steel	6 Concrete tile		ABS		one used (op			
SCREEN OR PERFORATION OPENING ARE:					8 Saw cut	оле азеа (ор	,	onen hole)
		5 Gauzed wrapped			22 Tone (open note)			
		6 Wire wrapped			9 Drilled holes			
2 Louvered shutter 4 Key punched		7 Torch cut			10 Other (spec	ify)		
SCREEN-PERFORATION INTERVALS: from		ft. to		ft., Fr	ft., From ft. to			ft.
from		ft. to		ft., From		ft. to		ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., From		ft. to		ft.
from		ft. to		ft., From		ft. to		ft.
6 GROUT MATERIAL: 1 Neat co		Cement grout		tonite	4 Other			
Grout Intervals: From	ft. to	ft., From	ft. 1				Q 4-	_
What is the nearest source of possible contamination:		io, rivill	IL I		ft., From stock pens	14 41	ft. to bandon water	ft. rwell
1 Septic tank 4 Lateral lines					14.		bandon water well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon			ilizer storage	15 Oil well/Gas well		
o cess poor		12 T			dilizer storage 16 Other (specify below)			
o seepage pit								
Direction from well? South		rne:-		How many feet				
FROM TO LITHOLOGIC LOG			FROM	ТО		GING INTERVALS		
			0	6	cement gr		-	
			6	20	bentonite			
			20	27	chlorinate	ed sand	d and	gravel
						····		
	1.				***************************************			
							<u> </u>	
			 					
						1417 0	140,000	
			l					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No236								
Under the business name of Harp Well & Pump Service, Inc. by (signature) Jane Frederick								
554					Van	e tr	vederi	ck
					1			