


1 LOCATION OF WATER WELL: County: <b>Sedgwick</b>		Fraction <b>NW NE SE NE</b> <del>SW</del> 1/4 <del>SW</del> 1/4 <del>SW</del> 1/4	Section Number <b>6</b>	Township Number T <b>27</b> S	Range Number R <b>1E</b> <b>EW</b>
Distance and direction from nearest town or city street address of well if located within city? <b>2808 Wedgewood Wichita, Ks.</b>					
2 WATER WELL OWNER: <b>Steven Jahn</b> RR#, St. Address, Box #: <b>2808 Wedgewood</b> City, State, ZIP Code: <b>Wichita, Ks.</b> Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"></div>		4 DEPTH OF COMPLETED WELL: <b>40</b> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <b>18</b> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <b>18</b> ft. below land surface measured on mo/day/yr <b>4-12-90</b> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <b>11</b> in. to ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial <u>7 Lawn and garden only</u> 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <b>X</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <b>X</b> No			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <b>X</b> Clamped 2 PVC 160 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass SDR-26 Threaded Blank casing diameter <b>5</b> in. to <b>25</b> ft. Dia in. to ft. Dia in. to ft. Casing height above land surface <b>12</b> in. weight <b>2.29</b> lbs./ft. Wall thickness or gauge No. <b>214</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <b>25</b> ft. to <b>40</b> ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From <b>24</b> ft. to <b>40</b> ft. From ft. to ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <b>4</b> ft. to <b>24</b> ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <b>North</b> How many feet? <b>10</b>					
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS			
0	3	topsoil			
3	6	clay			
6	19	fine sand			
19	40	medium sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>4-12-90</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>236</b> This Water Well Record was completed on (mo/day/yr) <b>5-21-90</b> under the business name of <b>Harp Well and Pump Service, Inc.</b> by (signature) <i>Mary Arnold</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send up three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					