

1 LOCATION OF WATER WELL: County: Sedgwick		Fraction SE ¼ SE ¼ SW ¼	Section Number 6	Township Number T 27 S	Range Number R 1 E/W
Distance and direction from nearest town or city street address of well if located within city?					

2 WATER WELL OWNER: Amoco Service Station No. 7207 RR#, St. Address, Box #: 2201 Amidon Avenue City, State, ZIP Code: Wichita, Kansas		MW 9 Board of Agriculture, Division of Water Resources Application Number:
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 27 ft. ELEVATION:
--	--

Diagram of a section box divided into four quadrants: NW, NE, SW, and SE. An 'X' is marked in the SW quadrant.

Depth(s) Groundwater Encountered 1. .ft. 2. .ft. 3. .ft.

WELL'S STATIC WATER LEVEL .ft. below land surface measured on mo/day/yr

Pump test data: Well water was .ft. after . hours pumping gpm

Est. Yield gpm: Well water was .ft. after . hours pumping gpm

Bore Hole Diameter: 8 in. to 27 ft., and . in. to . ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	9 Dewatering	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes. No. If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued Clamped
------------------------------	--	----------------	--	-----------------	--	------------------------------

Blank casing diameter 2 in. to 17 ft., Dia . in. to . ft., Dia . in. to . ft.

Casing height above land surface . in., weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 17 ft. to 27 ft., From . ft. to . ft., From . ft. to . ft.

GRAVEL PACK INTERVALS: From 15 ft. to 27 ft., From . ft. to . ft., From . ft. to . ft.

6 GROUT MATERIAL:		1 Neat cement		2 Cement grout		3 Bentonite		4 Other	
-------------------	--	---------------	--	----------------	--	-------------	--	---------	--

Grout Intervals: From 0 ft. to 15 ft., From . ft. to . ft., From . ft. to . ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	12	Silty Clay			
12	27	Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/12/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 102 This Water Well Record was completed on (mo/day/yr) 3/16/91 under the business name of Layne Western Co., Inc., Wichita, Ks. by signature B. Meier	
--	--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.