1 LOCA	TION OF	VATER WELL:	FRACTION				Section Number	Township Number	Range Number
H	Sedaw	ick	SE 1	/4 NE	1/4	NE 1/4	7	T 27 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?									
2050 N. Garland Wichita, Kansas									
2 WA	TER WELI	OWNER: SANTNER	, Elmo						
RR#, ST. ADRESS, BOX #: 2050 N. Garland Board of Agriculture, Divivsion of Water Res									, Divivsion of Water Resource
		IP CODE: Wichita				67203 Application Number:			
	TE WELL': " IN SECT!	ON BOX.	DEPTH OF					EVATION:	2 4
Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 06/08/1992									
i I				TIC WATEI p test data:				_	
'	NW	NE X	Yield	•		water was water was	ft. ft.	after hours pu	
			e Hole Diam	gpm: eter 12	in.	to 40	ft. ,	and in.	to ft.
1Mile						5 Public wa	,	8 Air conditioning	11 Injection well
=		!	1 Domestic	3 Feed			water supply	•	Other (Specify below)
11	sw		2 Irrigation	4 Indu	strial	7 Lawn and	d garden only	10 Monitoring well	
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was								
S submitted Water Well Disinfected? Yes X No									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded									
2 PV	<u>C</u>	4 ABS		7 Fibe	rglass	S	DR-26	7	Threaded
1	-	ameter 5 in.	to 30	ft.,	Dia	in		ft., Dia in.	to ft.
Casing height above land surface 12 in., weight 2.29 lbs. / ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS								12 None used	• *
SCRE	EN OR P	ERFORATION OPE	NING ARE	·	5 Gar	uzed wrappe	d	8 Saw cut	11 None (open hole)
1	inous slo		ANIO ARE	·•		re wrapped	·	9 Drilled holes	`•
2 Louv	ered shut		hed			ch cut		10 Other (specify)	
SCREE	N-PERI	ORATION INTERV	ALS: from	30		t. to 40	ft., Fro	m ft. to	ft.
1			from			t. to	ft., Fro		ft.
GRAVEL PACK INTERVALS: from 24					_	ft. to 40 ft., From			
L			from		f	t. to	ft., Fro	om <u>ft. to</u>	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 24 ft., From						ft.	to	ft., From	ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines					7 Dis				Abandon water well
1					7 Pit privy		11 Fuels		Oil well/Gas well
5 Cess poor					Sewage lagoon 12 Fertilizer storage 13 Insecticide storage 13 Insectide storage 13 Insecticide storage 13 Insecticide storage 13 Insectid			Other (specify below)	
3 waterught sewer o Seepage pit 9 reedyard									
FROM			HOLOGIC I	LOG		FROM	How many feet? 75 OM TO PLUGGING INTERVALS		
0	3	topsoil							
	8	clay							
	23	fine sand							
23	40	medium sand							
-									
<u> </u>							 		
							1		
							-		
7 COI	NTRACT	OR'S OR LANDOWNER	'S CERTIFICAT	TION: This w	ater well	was (1) cons	tructed. (2) rec	onstructed, or (3) plugged u	nder my jurisdiction
and w	as comple	eted on (mo/day/year)	06/08/	1992		and th	is record is true	to the best of my knowledge	and belief. Kansas
Water Well Contractor's License No. 236									
Under the business name of Harp Well & Pump Service, Inc by (signature)									