

1 LOCATION OF WATER WELL: Fraction NE NE 1/4 SW 1/4 SW 1/4 Section Number 7 Township Number 27 Range Number 10 County: SEDGWICK Distance and direction from nearest town or city street address of well if located within city? 1587 N. ATHENIAN, WICHITA, KANS

2 WATER WELL OWNER: J.D. TRIGG Board of Agriculture, Division of Water Resources RR#, St. Address, Box #: 1587 N ATHENIAN 67203 Application Number: NOVE City, State, ZIP Code: 1587 N ATHENIAN 67203

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 36-section grid with an 'X' in the center section, labeled NW, NE, SW, SE]

4 DEPTH OF COMPLETED WELL: 37 ft. ELEVATION: 1300 ft. Depth(s) Groundwater Encountered 1. 16 ft. 2. 16 ft. 3. 16 ft. WELL'S STATIC WATER LEVEL 16 ft. below land surface measured on mo/day/yr 7/26/83 Pump test data: Well water was NA ft. after NA hours pumping NA gpm Est. Yield 70 gpm Well water was NA ft. after NA hours pumping NA gpm Bore Hole Diameter 9 in. to 11 ft., and 6 in. to 37 ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Threaded Blank casing diameter 5 in. to 28 ft., Dia 1.57 lbs./ft. Wall thickness or gauge No. SDR 26 Casing height above land surface 12 in., weight 1.57 lbs./ft. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) 7 Torch cut SCREEN-PERFORATED INTERVALS: From 27 ft. to 37 ft. GRAVEL PACK INTERVALS: From NONE ft. to ft. FROM ft. to ft. FROM ft. to ft. FROM ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 1 ft. to 11 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? SO How many feet? 40

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/26/83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 104 This Water Well Record was completed on (mo/day/yr) 7/26/83 under the business name of BEARDEN PUMP & WELL by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.