


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County SEDGWICK	Fraction SW 1/4 NE 1/4 SW 1/4	Section number 7	Township number T 27 S	Range number R 1E E/W
2. Distance and direction from nearest town or city: Street address of well location if in city:		1501 N. CLARENCE		3. Owner of well: R.R. or street: City, state, zip code:		
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: CLARENCE ST. 		6. Bore hole dia. 5 in. Completion date 3-29-77 Well depth 40 ft.		
5. Type and color of material		From		To		7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary
Topsoil		0		10		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
SAND		11		30		9. Casing: Material STEEL Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 1.5 lbs./ft.
GRAVEL COURSE		31		40		Dia. 5 in. to 40 ft. depth Wall Thickness: inches or Dia. 5 in. to 40 ft. depth gage No. 200
						10. Screen: Manufacturer's name YFL Type 200 Dia. 5" Slot/gauze .065 Length 10' Set between 30 ft. and 40 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material
						11. Static water level: 15 ft. below land surface Date 3-30-77 mg./day/yr.
						12. Pumping level below land surfaces: 15 ft. after 2 hrs. pumping 10 g.p.m. ft. after 4 hrs. pumping 50 g.p.m. Estimated maximum yield 50 g.p.m.
						13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date
						14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade
						15. Well grouted? NO With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 31 ft. to 40 ft.
						16. Nearest source of possible contamination: ft. 20 Direction N Type SEWER Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
						17. Pump: Manufacturer's name Tempstar Not installed Model number DN552 HP 3 Vol 30 Length of drop pipe 35 ft. capacity 15 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		Customer well grout well Signature on file		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. 2157 Electric 129 Business name 512 W. 2157 License No. Address J. Pano Date 4-8-77 Signed J. Pano Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5