

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 820-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County SEDGWICK	Fraction SW 3W NW 1/4 1/4 1/4	Section number 7	Township number T 27 S R 1E	Range number E/W
2. Distance and direction from nearest town or city:			3. Owner of well: EDWARD COON			
Street address of well location if in city: 2321 WESTPORT WICHITA KS			R.R. or street: 2321 WESTPORT City, state, zip code: WICHITA KANS 67203			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 5 in. Completion date MAR 30 - 76 Well depth 31 ft.		
		BORED 5" HOLE TO 11 FT. THEN DROVE SAND POINT TO 31 FT.		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input checked="" type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
SAND MEDIUM - TAN		0	3	9. Casing: Material IRON Height: Above or below BASEMENT FLOOR Threaded <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 9.25 lbs./ft. Dia. 12.5 in. to 16 in. depth Wall Thickness: inches or Dia. 12.5 in. to 16 in. depth gage No. 0140		
SAND CLAY YELLOW		3	4	10. Screen: Manufacturer's name CLAYTON MARK Type SS. SCREEN Dia. 1.25 Slot/gauge 1060 Length 5 FT. Set between 26 ft. and 31 ft. ft. and ft. Gravel pack? NO Size range of material		
SAND - MEDIUM BROWN		4	5	11. Static water level: 12.5 ft. below land surface Date 3-30-76 mo./day/yr.		
CLAY BROWN		5	6	12. Pumping level below land surfaces: ft. after hrs. pumping NA g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 40 g.p.m.		
GRAVEL COARSE - REDDISH		6	8	13. Water sample submitted: NO mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date		
CLAY CLAY GRAVEL - COARSE -		8	10	14. Well head completion: 12 BASEMENT FLOOR Pitless adapter 12 inches above grade		
GRAVEL MEDIUM - REDDISH		10	11	15. Well grouted? YES With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
DROVE SAND POINT		11	31	16. Nearest source of possible contamination: ft. 15 Direction W65E Type CAST SEWER Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
+ 1.25 PIPE TO				17. Pump: FTW Not installed Manufacturer's name FTW Model number 10CPT5 HP 1 Volts 115 Length of drop pipe 31 ft. capacity 20 g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation: 1300 FT		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. BEARDEN PUMP & WELL Business name BEARDEN PUMP & WELL License No. 1106 Address 3111 MENOR WICHITA KS Signed OTW W Bearden Date 4/8/76 Authorized representative				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5