		WATE	R WELL RECORD			7		
LOCATION OF WA		Fraction	NE .		tion Number	1 0 0		Range Number
County: Scoto Distance and direction		<u> </u>	NE 1/4	>W 1/4	1	T 2	S	R L E/M
	N. Clare				che			
WATER WELL ON	MNED DOM H		10/C/1/1	in nun	<b>&gt;</b> 0\>			
RR#, St. Address, B	OV # : 1700 A	LClare	rji i			Board of Ac	riculture. [	Division of Water Resources
City, State, ZIP Code	44 4 7 7		Application Number:					
	OCATION WITH A	DEPTH OF C	OMBLETED WELL	303	# ELEVA			
AN "X" IN SECTIO	N BOX:	- Conth(e) Ground	water Encountered	1 <b>18</b>	ft		ft. 3	
<del>,</del>	<del>?                                    </del>	MELL'S STATIC	WATER I EVEL	18 #	elow land su	face measured on	mo/dav/vr	5/3/86
†   i	1	Pumr	test data: Well v	vater was	ft. a	fter	hours pu	mping gpm
NW	1 11 11	Est Vield	anm: Well v	vater was	ft s	fter	hours pur	mping gpm
.		Bore Hole Diame	oter . 8 1/2 in.	to <i>[.</i> 7		and5.1/4	in.	to
ž w X			O BE USED AS:	5 Public water		8 Air conditioning	11	Injection well
. 1		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)
sw	%	2 Irrigation	4 Industrial	7 awn and	garden only	10 Observation wel	٠	
1   i		Nas a chemical/t	pacteriological samp	ole submitted to D	epartment? Y	esNo. 🔏	; If yes,	mo/day/yr sample was sub-
<u> </u>	S r	nitted			Wa	ter Well Disinfected	? Yes	No
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOIN	ITS: Glued	i X Clamped
1 Steel	3RMP (SR)	)	6 Asbestos-Ceme	ent 9 Other	(specify below	w)		ed
2 PVC	4 ABS	20	7 Fiberglass					ided
Blank casing diamete		n. to 50	ft., Dia	in. to		ft., Dia	i	in. to
Casing height above			in., weight 🚣					SDR 26
TYPE OF SCREEN (				7 PV			stos-ceme	i
1 Steel	3 Stainless		5 Fiberglass		MP (SR)			
2 Brass	4 Galvanize		6 Concrete tile	9 AB	S		used (op	·
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut								11 None (open hole)
1 Continuous si				ire wrapped		9 Orilled holes		
2 Louvered shu SCREEN-PERFORAT		punched 3	0 / 10	oren cut 76	<b>4</b> F	10 Other (specify)	44 4	oft.
SUREEN-PERFURA	IED INTERVALS:	From						o
GRAVEL P	ACK INTERVALS:							o
GHAVEE 17	AON INTERVALS.	From	ft. to		ft., Fro			
GROUT MATERIA	L: 1 Neat ce		2 ement grout	3 Bento				
_	om <b>!O</b> f		-	ft.	to	ft., From		ft. to
What is the nearest s			,			tock pens		bandoned water well
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel	el storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage	lagoon				ther (specify below)
3 Vatertight se	wer lines 6 Şeepa	ge pit	9 Feedyard	d	13 Insec	ticide storage		
Direction from well?	West				How ma	ny feet? 10/8	,//	
FROM TO		LITHOLOGIC	LOG	FROM	то	<u> </u>	ITHOLOG	IC LOG
0 3		andy					_	
3 41/2 5	Sand	rine						
477 3	1 - 7 T	rey						
5 9			coarse		<u> </u>			
15 17			v.coarse		-			
13 11			granules					
	W/50		boles					
17 22	Sand		ncretion	~				
23 30			v. Coarse		+ +		- we-	
25   50			granule:	>	<del> </del>			
<del></del>	1 W/ 50	ome per	001C)		+			
<del></del>		****			<del> </del>			
			O. T.					lor my juriodiction and was
			ON: This water we	ii was (1) constru	icted, (2) rect	onstructed, or (3) pl	uggea und	ler my jurisdiction and was
completed on (mo/da							5.51.3	owledge and belief. Kansas
Water Well Contracto	ors License No	The D	Inis Wate	er vven Hecord Wa	as completed	on (mo/day/yr) ture) Curtis		
INSTRUCTIONS: Use	typewriter or ball point	DAN PLEASE PRES	SS FIRMLY and PRINT	clearly. Please fill in	blanks, underlin	e or circle the correct a	nswers. Ser	d top three copies to Kansas
Department of Health	and Environment, Office	of Oil Field and En	vironmental Geology, F	Regulation and Permi	tting Section, To	peka, Kansas 66620-7	500, Telepho	ne: 913-862-9360. Send one
	NER and retain one for							