1 LOCATION OF WATER WELL:	FRACTION	Water Well Recor	d Form WWC-5	KSA 82a-1212 Section Number	2	Range Number
		CW 1				15
Sedgwick Distance and direction from nearest town or city stree	NW 1/4		NW 1/4	8	т 27 s	R 1E E/W
2001 North Payne Wichita, Kansas    WATER WELL OWNER: NEWKIRK, Helen						
RR#, ST. ADRESS, BOX #: 2001 North Payne  Board of Agriculture, Divivsion of Water Resource						
CITY, STATE, ZIP CODE: Wichit			Application Number:			
	DEPTH OF COM		24		LEVATION:	
AN "V" IN SECTION DOV.	epth(s) groundwa	-	1	n.	2 ft.	3 n.
•		ATER LEVEL 1		BELOW BASE	MENT FLOOR SERENCE MEASURED ON mo/day/yr	09/07/1993
NE	Pump test		water was	ſt.	after hours pu	
l IX I I I	Yield	gpin: Well	water was	ft.	after hours pu	
E Bore	Hole Diameter	in.	to	ft. ,	and in	. to ft.
=	Yield Hole Diameter LL WATER TO	E USED AS:	5 Public water	r supply	8 Air conditioning 11	Injection well
SW SE	1 Domestic	3 reealot	6 Oil field wa			Other (Specify below)
	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes  No X ; If yes, mo/day/yr sample was						
submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						•
- Your (specify below)						
	40	o .			6 Dr.	
Blank casing Diameter 1 1/4 in.  Casing hard was a second of the control of the c	to	ft., Dia	in.	to lbs. / ft.	ft. , Dia in. Wall thickness or gauge No.	to ft.
TYPE OF SCREEN OR PERFORATION	in. , I MATERIAL:	weight	7	PVC	10 Asbestos-cei	nent
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (speci	fy)
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (	• '
SCREEN OR PERFORATION OPENING	G ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes	
2 Louvered shutter 4 Key punched		7 Torch cut			10 Other (specify)	
SCREEN-PERFORATION INTERVALS	from		. to	ft., Fr	om ft. to	ft.
<u> </u>	from		. to	ft., Fr		
GRAVEL PACK INTERVALS: from		ft. to		ft., Fr	•••	
	from	n	. to	ft., Fr		•••
6 GROUT MATERIAL: 1 Neat cemer	nt 2 Cc	enient grout	3 Ber	ntonite	4 Other	
1	to 24	ft., From	ft.		ft., From	ft. to ft.
What is the nearest source of possible contamination:						Abandon water well
1 Septic tank 4 Lateral lines		7 Pit privy				Oil well/Gas well
2 Sewer lines 5 Cess pool		12 Toursellald		tilizer storage 16 cticide storage	Other (specify below)	
3 Watertight sewer lines 6 Seepage p		9 Feedyard			J	
Direction from well? Southeast FROM TO LITE	E IOLOGIC LOG		FROM	ТО	How many feet? 6 PLUGGING INT	ERVALS
			0	24	neat cement	
				_		
7 CONTRACTOR'S OR LANDOWNER'S CE						
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
Well Contractor's License No						
I Under the business are Harn Well & Dumn Service Inc. business						
Vama tradatich						
648						