1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-	Section Number	Township Number	Range Number
Sedgwick	SE 1/4	SW 1/4 N	E 1/4	8	0.7	1 1 12
Distance and direction from nearest town or city street address of well if located within city?						
1729 N. Waco Wichita, Kansas 2 WATER WELL OWNER: GROSSARDT, Gretchen						
	Clayton A				Roard of Agriculture Di	lvivsion of Water Resource
7027						
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)						
AN "X" IN SECTION BOX:	Depth(s) groundw		1	ft. ELI	EVATION:	3 ft.
l + r	,,				2 ft.	
	VELL'S STATIC W Pump test	ATER LEVEL 12		V -	URFACE MEASURED ON mo/day/yr	03/22/1994
NE	st. Yield	***************************************	ater was	ft.	after hours pum	
I ≝ I I V I I _D	ore Hole Diameter	5.	vater was	ft.	after hours pum	
	ELL WATER	Stuggen ag.	to Public wate	ft.	and in.	to ft. njection well
	1 Domestic		o Oil field wa		•	ther (Specify below)
SW SE	2 Irrigation		Lawn and g		10 Monitoring well	ester (openly below)
	o .				ū	o/dov/we comple wee
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes Y No						
TYPE OF CACING LIGED						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clampo 6 Asbestos-Cement 9 Other (Specify below) Welded						•
- Table (Section Committee of C						
Blank casing Diameter 1 1/4 in	ı. to	-	5 .	40		•
Casing height above land surface 12		ft., Dia	in.	to lbs. / ft.	ft., Dia in. Wall thickness or gauge No.	to ft.
TYPE OF SCREEN OR PERFORATION	O in. , ON MATERIAL:	welght	,	7 PVC	10 Asbestos-ceme	ent
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify)
2 Brass 4 Galvanized steel		6 Concrete tile		9 ABS	12 None used (op	
SCREEN OR PERFORATION OPEN	INC ADE.	5 Com			8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot		5 Gauzed wrapped 6 Wire wrapped			9 Drilled holes	
2 Louvered shutter 4 Key pund						
CORPEN BERRON - EVOLVENIEN -			cut		10 Other (specify)	_
SCREEN-FERFORATION INTERVAL		ft.	to	ft., Fron	n ft. to	ft.
from		ft. to		ft., Fron		ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., From		ft.
from ft. to ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						ft.
	ft. to					
What is the nearest source of possible contamination:		ft. From ft. to		to 10 Livesto	ft. From ock pens	ft. to ft. bandon water well
1 Septic tank 4 Lateral lines				11 Fuel st	· ITA	
2 Sewer lines 5 Cess pool					130	Oil well/Gas well Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage						die (speelly below)
Direction from well? East	, pit	2 x couguru			How many fact?	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS						RVALS
			0		cement grout	
			6		bentonite hole	plug
			20		chlorinated san	
	1 - 221-1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)	03/22/	1994	and this rec	ord is true to th	e best of my knowledge and	belief. Kansas Water
Well Contractor's License No23.6						
Under the business name of Harp Well & Pump Service, Inc. by (signature)						
					fane \mathcal{F}	rederick