1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212		1	
<u> </u>				Section Number	Township Number	Range Number	
Sedgwick	SW 1/4	NE 1/4 N	E 1/4	8	T 27 s	R 1E E/W	
Distance and direction frem nearest town or city stree	t address of well if loo	ated within city?					
220 W. 19th W	Michita,	Kansas					
2 WATER WELL OWNER: PENWEL	L, Gene						
RR#, ST. ADRESS, BOX #: 2707 L	itchfiel	ld			Board of Agriculture, Di	ivivsion of Water Resource	
CITY, STATE, ZIP CODE: Wichit	a, Kansa	as ı		67204	Application Number	r:	
	DEPTH OF C	WELL	22	ft. ELE	VATION:		
AN "X" IN SECTION BOX:	epth(s) ground	ater Encountered	1	ft.	2 ft.	3 ft.	
WE	LL'S STATIC W	ATER LEVEL 9	FT	. BELOW EARD SUR	FACE MEASURED ON mo/day/yr	03/28/1994	
	Pump tes		ater was	ft. s	after hours pum		
Est.	Yield		vater was		after hours pum		
	Hole Diameter		to	ft.	and in.	to ft.	
≧ W WEI	LL WATER		Public wate			njection well	
	1 Domestic		6 Oil field wa			Other (Specify below)	
5WSE	2 Irrigation		Lawn and g		0 Monitoring well	(,	
	ū				· ·	o/day/yr sample was	
9		eriological sample sub	muttea to De	-		* *	
TWIN OF CACING VIOLE							
		5 Wrought iron	_	Concrete tile		lued Clamped	
		6 Asbestos-Cemen	t 9	Other (Specify be	,	Velded	
2 PVC 4 ABS		7 Fiberglass			Т	hreaded	
Blank casing Diameter 1 1/4 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 36	in.,	weight			Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION	MATERIAL:	- TIII 1		7 PVC	10 Asbestos-ceme		
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify	)	
2 Brass 4 Galvanized steel		6 Concrete tile	9	O ABS	12 None used (or	en hole)	
SCREEN OR PERFORATION OPENING	G ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punche	ed.	7 Torch	cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS	from	ft.	to	ft., From	ft. to	ft.	
	from	ft.		ft., From		ft.	
GRAVEL PACK INTERVALS: from		<b></b>		ft., From		ft.	
	from	ft.		ft., From		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug							
Grout Intervals: From ft.	_	ft. From	ft.		ft. From	ft. to ft.	
What is the nearest source of possible cont		it From	16	10 Livesto		bandon water well	
1 Septic tank 4 Lateral lines				11 Fuel sto			
2 Sewer lines 5 Cess pool		- •		12 Fertiliz	ertilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
o and the	ıı	> recuyaru			W		
Direction from well? South FROM TO LITH	IOLOGIC LOG		FROM	TO	How many feet? 3 PLUGGING INTE	DVALS	
INO.X 10 EIX	IOLOGIC LOG		O		cement grout	KVALS	
			6		bentonite hole	ກໄນແ	
					chlorinated san		
		<u> </u>	20	-   44   1	chiorinated san	u anu graver	
		1	<del></del>				
				-			
			<b>1</b>				
			<del></del>				
			<u> </u>				
An alamana and an area and area and area and area and area and							
7 CONTRACTOR'S OR LANDOWNER'S CE	PTIFICATION: Th	is water well was (1	\ construct	ed. (2) reconstru	icted, or (3) plugged under n	ny jurisdiction and	
was completed on (mo/day/year)	03/28/	1994	and this red	cord is true to th	e best of my knowledge and	belief. Kansas Water	
Well Contractor's License No2.3	36	This Water Well Re	cord was c	ompleted on (m	o/day/yr)Q4/Q	8/94	
Under the business name of Harp Well & Pump Service, Inc. by (signature)							
Jane Frederick							
					y correct C	THE COLOR WATER	