

MW-4

WATER WELL RECORD Form WWC-5 KSA 82a-1212

LOCATION OF WATER WELL: County: <u>Sedgwick</u>	Fraction <u>SE 1/4 SE 1/4 NW 1/4</u>	Section Number <u>9</u>	Township Number <u>T 27 S</u>	Range Number <u>R 1 E</u>
--	---	----------------------------	----------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?
1820 N. Mosely, Wichita, KS 67219

2 WATER WELL OWNER: <u>Allens Concrete</u> RR#, St. Address, Box #: <u>1820 N. Mosely</u> City, State, ZIP Code: <u>Wichita, KS 67219</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>21-FT.</u> ft. ELEVATION: <u>1307.22</u>
--	--

1 Mile

Depth(s) Groundwater Encountered 1. 9.47 FT. ft. 2. . ft. 3. . ft.

WELL'S STATIC WATER LEVEL 11.83 ft. below land surface measured on mo/day/yr. 8/16/93

Pump test data: Well water was . ft. after . hours pumping . gpm

Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm

Bore Hole Diameter: 8 in. to . ft., and . in. to . ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	<u>10 Monitoring well</u>	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
------------------------------	----------------	-----------------	--

1 Steel

2 PVC

3 RMP (SR)

4 ABS

Blank casing diameter 2 in. to . ft., Dia . in. to . ft., Dia . in. to . ft.

Casing height above land surface Flush in., weight . lbs./ft. Wall thickness or gauge No. .

6 Asbestos-Cement

7 Fiberglass

9 Other (specify below)

Welded

Threaded

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement
---	-------	--------------------

1 Steel

2 Brass

3 Stainless steel

4 Galvanized steel

5 Fiberglass

6 Concrete tile

8 RMP (SR)

9 ABS

11 Other (specify)

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

2 Louvered shutter

3 Mill slot

4 Key punched

5 Gauzed wrapped

6 Wire wrapped

7 Torch cut

8 Saw cut

9 Drilled holes

10 Other (specify)

11 None (open hole)

SCREEN-PERFORATED INTERVALS:	From <u>6</u> ft. to <u>21</u> ft.	From . ft. to . ft.
------------------------------	------------------------------------	---------------------

GRAVEL PACK INTERVALS:	From <u>4</u> ft. to <u>21</u> ft.	From . ft. to . ft.
------------------------	------------------------------------	---------------------

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
-------------------	---------------	----------------	--------------------	---------

Grout Intervals: From 4 ft. to 1 ft., From . ft. to . ft., From . ft. to . ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	<u>11 Fuel storage</u>	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? . How many feet? .

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>10</u>	<u>Dark brn. fine to coarse sand</u>			
<u>1</u>	<u>10</u>	<u>Dark brn. silty plastic clay</u>			
<u>10</u>	<u>21</u>	<u>Brn. fine to coarse grained silty sand & gravel</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8/17/93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>524</u> This Water Well Record was completed on (mo/day/yr) <u>11-8-93</u> under the business name of <u>Allied Environmental Consultants</u> by (signature) <u>Cole Knight</u>
--