


WATER WELL RECORD				Form WWC-5	KSA 82a-1212	RW #9
LOCATION OF WATER WELL:		Fraction	Section Number	Township Number		Range Number
County: Sedgwick		SE 1/4 NW 1/4 NE 1/4	9	T 27 S		R 1
Distance and direction from nearest town or city street address of well if located within city?						
Across the street West 2044 North Cleveland in Wichita.						
WATER WELL OWNER: Derby Refinery				1 in a battery of 3		
RR#, St. Address, Box # : P. O. Box 1030				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Wichita, Ks. 67201-1030				Application Number: 88,909		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 25.5 ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 14.5 ft. below land surface measured on mo/day/yr 10/17/88				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 22 in. to 25.5 ft. and in. to ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Recovery Well				
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped				
1 Steel 3 RMP (SR)		Welded				
2 PVC 4 ABS		Slip w/screws				
Blank casing diameter 12 in. to 25.5 ft. Dia		in. to ft. Dia				
Casing height above land surface 6 in., weight 17.05 lbs./ft.		Wall thickness or gauge No. 68.7				
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement				
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)				
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS:		From 6.5 ft. to 15.5 ft. From ft. to ft.				
GRAVEL PACK INTERVALS:		From 4.5 ft. to 25.5 ft. From ft. to ft.				
FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG				
0 7 Black clay.						
7 11 Brown clay.						
11 28 Sand fine to medium coarse. Small gravel.						
28 30 Shale.						
8 GROUT MATERIAL:		3 Bentonite 4 Other				
Grout Intervals: From 0 ft. to 4.5 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well				
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage						
Direction from well? Within the immediate area.		How many feet?				
FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG				
0 7 Black clay.						
7 11 Brown clay.						
11 28 Sand fine to medium coarse. Small gravel.						
28 30 Shale.						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/3/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 12/5/88 under the business name of Henkle Drilling & Supply Company, Inc. by (signature) [Signature]						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.						