


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

| | | | | | | |
|--|--|---|---|---|---|---|
| 1. Location of well: | | County Sedgwick | Fraction NE 1/4 NW 1/4 SE 1/4 | Section number 9 | Township number T 27 S R 1 E 24 | Range number 1 |
| 2. Distance and direction from nearest town or city: in Wichita at Street address of well location if in city: 16th & Ohio St. | | | | 3. Owner of well: Board of Park Commissioners City of Wichita-411 N. Main City, state, zip code: Wichita, Kansas 67202 | | |
| 4. Locate with "X" in section below: | | Sketch map: | | 6. Bore hole dia. 38 in. Completion date 3/1/78 Well depth 33 ft. | | |
|  | | | | 7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary | | |
| 5. Type and color of material | | | | From | To | 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other |
| Top soil | | | | 0 | 2 | 9. Casing: Material Steel Height: Above ground 24 in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 45 lbs./ft. Dia. 12 in. to 33 ft. depth Wall Thickness: inches or Dia. 0.330 in. to 0.330 ft. depth gage No. 0.330 |
| Brown clay | | | | 2 | 9 | 10. Screen: Manufacturer's name Layne & Bowler, Inc. Type Shutter Dia. 12 " Slot/gauze 0.105 " Length 10 ' Set between 23 ft. and 33 ft. Gravel pack? yes Size range of material 1/8 x 3/8 |
| Brown sandy silt | | | | 9 | 14 | 11. Static water level: 13 ft. below land surface Date 11/23/77 |
| Fine to coarse sand | | | | 14 | 18 | 12. Pumping level below land surfaces: 18 ft. after 6 hrs. pumping 300 g.p.m. 0 ft. after 0 hrs. pumping 0 g.p.m. Estimated maximum yield 400 g.p.m. |
| Med. to coarse sand-gravel | | | | 18 | 31 | 13. Water sample submitted: 0 mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date 0 |
| Wellington shale | | | | 31 | 37 | 14. Well head completion: <input type="checkbox"/> Pitless adapter 24 inches above grade |
| | | | | | | 15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft. |
| | | | | | | 16. Nearest source of possible contamination: ft. 600 Direction West Type Sewer Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| | | | | | | 17. Pump: Manufacturer's name Layne Not installed Model number 8RKHC HP 25 Volts 460 Length of drop pipe 20 ft. capacity 300 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other |
| (Use a second sheet if needed) | | | | | | |
| 18. Elevation: 1360 Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley | | 19. Remarks: Appropriation Permit No. 30381 | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name Wichita, Kansas License No. Address Wichita, Kansas Signed [Signature] 3/1/78 | | |

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5