

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: County SEDGWICK Fraction 1/4 SW 1/4 NE 1/4 Section number 10 Township number T 27 S Range number R 10 E W					
2. Distance and direction from nearest town or city: 1812 N. Poplar Street address of well location if in city: WICHITA, KANSAS		3. Owner of well: ULYSSES STOKES R.R. or street: 1812 N. Poplar City, state, zip code: WICHITA, KANSAS			
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: 6. Bore hole dia. 11 in. Completion date 10-9-76 Well depth 40 ft. 7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input checked="" type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other 9. Casing: Material STYRENE Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia 5 in. to 40 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 1200			
5. Type and color of material		From	To	10. Screen: Manufacturer's name SUNFLOWER PLASTIC Type STYRENE Dia. 5" Slot gauge 106 Length 20' Set between 20 ft. and 40 ft. Gravel pack <input checked="" type="checkbox"/> Size range of material 1/4-1/8"	
SANDY SOIL		0	3	11. Static water level: 15 ft. below land surface Date 10-9-76	
CLAY		3	18	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield ____ g.p.m.	
MEDIUM SAND		18	35	13. Water sample submitted: ____ mo./day/yr. Yes ____ No ____ Date ____	
SHALE		35	40	14. Well head completion: 12 CAPPED ____ Pitless adapter ____ Inches above grade	
				15. Well grouted? YES With: ____ Neat cement ____ Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 40" to 14 ft.	
				16. Nearest source of possible contamination: 50 ft. SOUTH Direction CITY SEWER Well disinfected upon completion? <input checked="" type="checkbox"/> Yes ____ No ____	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: ____ Submersible ____ Turbine ____ Jet ____ Reciprocating ____ Centrifugal ____ Other	
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. HARDWELL PUMP 236 Business name WICHITA, KANSAS License No. ____ Address WICHITA, KANSAS Signed Dr. Arnold Date 10-11-76 Authorized representative	
18. Elevation:		19. Remarks:			
Topography: ____ Hill ____ Slope ____ Upland ____ Valley		FLAT & ROUND			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5