

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>SENGWICK</u>		<u>NE 1/4 NW 1/4 NW 1/4</u>	<u>10</u>	<u>T 27 S</u>	<u>R 1 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>21st & Minnesota, Wichita, Ks</u> <u>MW 2</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		Application Number:			
City, State, ZIP Code :					
<u>SHAWNEE MISSION, Ks 66225</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>24.5</u> ft. ELEVATION:			
<div style="text-align: center;"><p>1 Mile</p><p>W E</p><p>S N</p></div>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>16</u> ft. below land surface measured on mo/day/yr <u>7-20-91</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter in. to ft., and in. to ft.			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel		5 Wrought iron	8 Concrete tile	Welded	
2 PVC		6 Asbestos-Cement	9 Other (specify below)	Threaded <u>X</u>	
3 RMP (SR)		7 Fiberglass			
4 ABS					
Blank casing diameter in. to ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface <u>2.2 (F.V.S.H.)</u> in., weight lbs./ft. Wall thickness or gauge No. <u>4.0</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC			
1 Steel		5 Fiberglass	8 RMP (SR)	10 Asbestos-cement	
2 Brass		6 Concrete tile	9 ABS	11 Other (specify)	
3 Stainless steel				12 None used (open hole)	
4 Galvanized steel					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped			
1 Continuous slot		6 Wire wrapped	8 Saw cut	11 None (open hole)	
2 Louvered shutter		7 Torch cut	9 Drilled holes		
3 Mill slot		10 Other (specify)			
4 Key punched					
SCREEN-PERFORATED INTERVALS:		From <u>24.5</u> ft. to <u>14.5</u> ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS:		From <u>14.5</u> ft. to <u>1.3</u> ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL:		1 Neat cement			
Grout Intervals: 3 From <u>1.3</u> ft. to <u>11</u> ft., 2 From <u>11</u> ft. to <u>0</u> ft., From ft. to ft.		2 Cement grout			
What is the nearest source of possible contamination:		3 Bentonite			
1 Septic tank		4 Other			
2 Sewer lines		10 Livestock pens			
3 Watertight sewer lines		11 Fuel storage			
4 Lateral lines		12 Fertilizer storage			
5 Cess pool		13 Insecticide storage			
6 Seepage pit		14 Abandoned water well			
7 Pit privy		15 Oil well/Gas well			
8 Sewage lagoon		16 Other (specify below)			
9 Feedyard					
Direction from well? <u>SE</u>		How many feet? <u>110</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>8</u>	<u>CLAY</u>			
<u>8</u>	<u>24.5</u>	<u>SAND</u>			
<u>CASING & GROUT VARIANCE GRANTED</u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12/2/90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>517</u> This Water Well Record was completed on (mo/day/yr) <u>1-9-91</u> under the business name of <u>GROUNDWATER TECHNOLOGY</u> by (signature) <u>Albert Stant</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4