			WATE	R WELL RECORD	Form WWC-	5 KSA 82a	-1212		
1 LOCAT	ION OF WA	TER WELL:	Fraction		Se	ection Number	Township Number	Range Number	
County:	Sedee	Wick		NW 1/4 N		10	T 2-フ S	S R / (E)W	
Distance and direction from nearest town or city street address of well if located within city?									
2001 E. 21st ST. Wichita, KS									
2 WATE	B WELL OV	VNFR. Amara	011	20 m 10 m 16					
2 WATER WELL OWNER: Amoco O. 1 Company RR#, St. Address, Box #: 8700 Indian Creek Parkway Board of Agriculture, Division of Water Resources									
1		X# . 8700 4			74.7	11 21			
	e, ZIP Code							ber: 919075	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 2.5. ft. ELEVATION:									
N Depth(s) Groundwater Encountered 1π. 2π. 3π. 3π.									
17	WELL'S STATIC WATER LEVEL . /.C., S ft. below land surface measured on mo/day/yr								
	Pump test data: Well water was ft. after hours pumping gpr								
	Est. Yield gpm: Well water was ft. after hours pumping gpm								
Mile M	W   WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning Dinjection well							Injection well	
-								ther (Specify below)	
	la = \W == l == \t == l					nd garden only 10 Monitoring well			
	1	l !   {	2 Irrigation			-			
<u> </u>	1	A		bacteriological sample	submitted to I		_	f yes, mo/day/yr sample was sub-	
			nitted				ter Well Disinfected? Ye		
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOINTS:	Glued Clamped	
1 S	iteel	3 RMP (SR)		6 Asbestos-Cement	9 Other	r (specify belov	v)	Welded	
2 PVC 4 ABS 7 Fiberglass									
Blank cas	sing diameter	· <del>//</del> in	. t <u>o</u> ! . •••	ft., Dia	in. t	o <i>.</i>	ft., Dia	in. to ft.	
Casing h	eight above l	and surface	. <i>O</i> . <del></del>	.in., weight		Ibs./	ft. Wall thickness or gau	ge No. 50 / 1/0	
TYPE OF	SCREEN C	R PERFORATION	MATERIAL:	-	(7 P	vc>	10 Asbestos-	cement	
1 5	teel	3 Stainless s	teel	5 Fiberglass		MP (SR)		ecify)	
I	rass	4 Galvanized	steel	6 Concrete tile	9 A		12 None use	• ·	
		RATION OPENINGS			ed wrapped		8 Saw cut	11 None (open hole)	
	continuous sk				wrapped		9 Drilled holes	Trivone (open nois)	
l					&	π., Froi	m	π. το	
	GRAVEL PA	CK INTERVALS:	From ?	7.5 ft. to .	<i>Q</i>			ft. to	
			From	ft. to		ft., Froi			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 4 Other									
Grout Intervals: From8ft. to4ft., From4ft. to4ft. Fromft.									
What is the nearest source of possible contamination:  10 Livestock pens  14 Abandoned water well								14 Abandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy		1 Fuel storage		15 Oil well/Gas well	
2 S	ewer lines	5 Cess po	ool	8 Sewage lag	8 Sewage lagoon		zer storage	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction	from well?					How ma	nv feet?		
FROM	то		LITHOLOGIC	LOG	FROM	TO	PLUGGI	NG INTERVALS	
0	11	Black LT Brn Sand	Hurd (	Zhu,					
11	25-	It Bea.	750	<u>م</u> را، سنر					
	1	500	319						
		·							
						1			
	<del> </del>					<u> </u>			
						<del>                                     </del>			
7 00:-	DACTORIC	OD I ANDOMATERIO	CERTIFICATI	ON: This water	rac (1) hannt-	ucted (2) reco	instructed or (2) alugace	d under my jurisdiction and was	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on (mo/day/year) 8 / 2 2 / 9 /									
Water We	ell Contractor	's License No	. 4. 1 1					m	
				t Drilling		by (signa			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									