

1 LOCATION OF WATER WELL:

County: SEDGWICK

Fraction

N/E ¼ N/E ¼ N/E ¼

Section Number

12

Township Number

T 27 S

Range Number

R 1

Distance and direction from nearest town or city street address of well if located within city?

2199 N. WOODLAWN WICHITA KS

2 WATER WELL OWNER: FINA OIL & CHEMICAL CO.

RR#, St. Address, Box # : P.O. BOX 2159

City, State, ZIP Code : DALLAS TX 75221

Board of Agriculture, Division of Water Resources

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

N

W

E

S

SW

SE

4 DEPTH OF COMPLETED WELL: 13 ft. ELEVATION:

Depth(s) Groundwater Encountered 4.0 ft.

WELL'S STATIC WATER LEVEL 4.0 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 7 1/4 in. to 1.3 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply

8 Air conditioning

11 Injection well

1 Domestic

3 Feedlot

6 Oil field water supply

9 Dewatering

12 Other (Specify below)

2 Irrigation

4 Industrial

7 Lawn and garden only

X 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

X 2 PVC

4 ABS

7 Fiberglass

X Threaded

Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 40 in., weight sched 40 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

8 RMP (SR)

11 Other (specify)

2 Brass

4 Galvanized steel

6 Concrete tile

9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

X 3 Mill slot

6 Wire wrapped

9 Drilled holes

2 Louvered shutter

4 Key punched

7 Torch cut

10 Other (specify)

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

SCREEN-PERFORATED INTERVALS: From 1.3 ft. to 3 ft., From ft. to ft., From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 1.3 ft. to 2.5 ft., From ft. to ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: X 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 2.5 ft. to 0.6 ft., From ft. to ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

X 11 Fuel storage

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

12 Fertilizer storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

13 Insecticide storage

16 Other (specify below)

Direction from well? N/W

How many feet? 43 ft

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0.8

0.8

concrete

0.8

11.5

Fill MATERIAL

11.5

13.0

tan shale

Saturated at 3.0

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-21-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 575 This Water Well Record was completed on (mo/day/yr) 5-5-94 under the business name of Kurtz Environmental Service by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.