		WA	ALEH ME	LL RECOR	D	Form WW	C-5 KSA 8	2a-1212							
1 LOCATION OF W	Fraction				T	Section Number	er Town	nship Num	ber	Rar	nge Numb	ber			
County: Sedgwic		NW	1/4 NW	1/4		1/4	14	Т	27	S	R	1	(E/)\V		
Distance and direction	n from nearest town of	or city stree	et address	of well if I	ocate	d within cit	y?								
22 ft. west an	d 76 ft. south of	N.W. co	rner of	3215 E.	9th	Street,	Wichita, KS	6 MW-2 H	WST Job	No. 74-	-50/503	3.01			
T	WNER: McBride E1														
<u></u>	ox # : 3215 E. 9t							Bo	ard of Agri	iculture C	Division o	Water R	Secure		
									•	•	NVISION O	water n	lesource		
City, State, ZIP Code									plication N						
AN "X" IN SECTION	N De	pth(s) Gro	undwater	Encountere	d 1	14	ft.	. 2		ft. 3.		<i></i> .	ft.		
ī ! '	I WE	ELL'S STA	TIC WATE	ER LEVEL	9,	61	ft. below land s	urface meas	ured on m	o/day/yr	3/.	18/91			
1 1		Р	ump test	data: Well	wate	er was	ft.	after	1	hours pur	mping		gpm		
NW	NE   Es	t. Yield	(	apm: Well	wate	er was	ft.	after	1	hours pur	mpina		apm		
: I :										-	. •				
w x	- t			USED AS:			vater supply								
-   " i	1 i     '''	1 Dome:		3 Feedlot					•		•		O141)		
SW	SE						water supply								
1 1	1 !	2 Irrigati		4 Industria			nd garden only		-						
<u> </u>			cal/bacteri	ological sar	nple s	submitted t	o Department?					r sample	was sub		
<u> </u>	ş mit	tted						Vater Well Di	sinfected?	Yes		No X			
TYPE OF BLANK	CASING USED:		5 W	rought iron		8 Co	ncrete tile	CASI	NG JOINT	rs: Glued	l <i>.</i>	Clamped			
1 Steel	3 RMP (SR)		6 As	bestos-Cer	nent	9 Ot	ner (specify bel	ow)		Welde	ed				
2 PVC	4 ABS		7 Fil	perglass						Threa	ded				
• •	er 2 in.	to 10		•							n to		ft		
	land surfaceF1														
				eignt								• ••			
	OR PERFORATION N						PVC		10 Asbes						
1 Steel	3 Stainless ste	eel	5 Fil	perglass			RMP (SR)		11 Other						
2 Brass	4 Galvanized	steel	6 Co	oncrete tile		9	ABS		12 None	used (ope	en hole)				
SCREEN OR PERF	DRATION OPENINGS	ARE:		5	Gauz	ed wrappe	d	8 Saw c	ut		11 None	e (open h	iole)		
1 Continuous s	lot 🙎 Mill s	lot		6	Wire	wrapped		9 Drilled	holes						
2 Louvered shi	utter 4 Key r	punched		7	Torch	cut		10 Other	(specify)	<i>.</i>					
SCREEN-PERFORA	• •			10 ft	to	20	ft., Fı								
CDAVEL D	ACK INTERVALS:	From		8.5	to	20	ft., Fı ft., Fı			4 4			4		
GRAVEL F	ACK INTERVALS.														
							ft., Fr						ft.		
GROUT MATERIA															
Grout Intervals: Fr	om ft.	to	f	t., From .			ft. to	ft., F	rom		. ft. to		ft.		
What is the nearest	source of possible con	ntamination	1:				10 Live	estock pens		14 At	pandoned	water we	ell		
<ol> <li>Septic tank</li> </ol>	4 Lateral li	ines		7 Pit priv	y		¥1 Fue	el storage		15 Oi	il well/Ga	s well			
2 Sewer lines	2 Sewer lines 5 Cess pool		8 Sewage lago			oon	12 Fer	tilizer storage	zer storage 16 Othe				er (specify below)		
3 Watertight se	wer lines 6 Seepage			9 Feedya	-			ecticide stora							
Direction from well?	NW	<b>-</b>		·				any feet?	40						
FROM TO		LITHOLOG	SIC LOG			FROM		arry reet:		GGING IN	TERVAL	S			
			<u> </u>			1110									
0 0.5	Aspha?t														
0.5 4.0	Silty clay														
4.0 7.5	Sandy grave!														
7.5 9.5	Silty clay														
9.5 11.5	Clayey sand														
11.5 20.0	Silty clay														
								<del> </del>							
CONTRACTORIO	OR LANDOWNER'S	CERTIFIC	ATION	hio water	(OII	20 (*)	ntruoted (0)	000012:	or (2) -l	agod	or my !	iediation	and we		
	OR LANDOWNER'S														
	y/year) 1/17										wiedge a	ına belief.	. Kansas		
Nater Well Contracto	or's License No4	W.18		. This Wa	ter W	ell Record	•		//yr)	2/22/91	· · · · · · ·				
under the business r	ame of HWS Tech	nologies	Inc.				by (sign	nature)	Mann	///un	4				
	typewriter or ball point pen.											nsas Departi	ment		