			WATE	R WELL RECORD	Form WWC-5	KSA 82a-	1212			
	ON OF WA	TER WELL:	Fraction 1/4	SE 14 SE	Sect	tion Number	Township Num	nber S	Range Nu	umber ••••••••••••••••••••••••••••••••••••
Distance a	nd direction	from nearest to	wn or city street ac	ddress of well if locate	d within city?	,				
	o Eas		<u>U, Wichil</u>							
2 WATER	R WELL OW	NER: D & R	Properti	es 🔾	0 - 1					
RR#, St. /	Address, Bo	×# 1450	N. Clare	ence, ap+	204		Board of Agr	iculture, Di	vision of Water	r Resource
City. State	. ZIP Code			ノコクハス			Application N	lumber:		
LOCATI	WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	30	. ft. ELEVAT	ION:			
- AN X	IN SECTION	N BOX:	Depth(s) Ground	water Encountered 1	22	ft. 2		ft. 3.		ft.
<u>،</u> ر	1	1		WATER LEVEL . 24						
i I	1			test data: Well water						
-	- NW	NE								
1	İ	· •		gpm: Well wate						
* w -	l	E	i .	ter. 2 , 5 in. to				in. 1	to	
۳ ا	!	! -	WELL WATER T	O BE USED AS:	5 Public water	supply	B Air conditioning	11 lr	jection well	
ī]	CVA/		1 Domestic	3 Feedlot	6 Oil field water	er supply	9 Dewatering	12 0	ther (Specify b	oelow)
-	- 344	36	2 Irrigation	4 Industrial	7 Lawn and ga	arden only 🗹	Monitoring well .	.,M\w.#.	5	
1 1	i i	i .d	Was a chemical/b	acteriological sample s						
			mitted	3			er Well Disinfected?	_	No V	_
TYPE	DE BLANK (CASING USED:		5 Wrought iron	8 Concre		CASING JOINT			
1 Ste		3 RMP (S	D)	6 Asbestos-Cement						
		,	•		9 Other (specify below)		1	
(2) Py		4 ABS		7 Fiberglass					ed	
				ft., Dia						
Casing hei	ght above la	and surface	usn mould	n., weight		lbs./f	. Wall thickness or	gauge No.		
		R PERFORATIO			C,7 Pevo			stos-cemen		
1 Ste	eel	3 Stainless	s steel	5 Fiberglass	8 RMF	P (SR)	11 Other	(specify)
2 Bra	ass	4 Galvaniz	zed steel	6 Concrete tile	9 ABS			used (oper		
		RATION OPENIN				•		٠.	•	a bala)
				5 Gauzed wrapped			8 Saw cut		11 None (oper	n noie)
	ntinuous slo				wrapped		9 Drilled holes			
	uvered shut		ey punched	7 Torch	cut 25 A		10 Other (specify)			
SCREEN-	PERFORATI	ED INTERVALS:	From T. 7.	. 🕶 ft. to	- 30.0	ft., From	1	ft. to.		
			From			ft., From	1	ft. to		ft.
0	RAVEL PA	CK INTERVALS:	From	5 ft. to	- 30.0	ft., From	1	ft. to		ft
			From	ft. to		ft., From		ft. to		ft
GROUT	MATERIAL	: 1 Neat	cement	2 Cement grout	3 Benton	nite 4 (Other			
Grout Inter	vals: Fro	_m · 5	ft to 7.5	ft., From	ft	0	ft From		ft to	ft
		ource of possible	,						andoned water	
		•		7 04		10 Livesto	•			well
	ptic tank	4 Later		7 Pit privy		uel s			well/Gas well	
	wer lines	5 Cess	•	8 Sewage lago	oon		er storage	16 Oth	er (specify bei	low)
	-	er lines 6 Seep	page pit	9 Feedyard		13 Insecti			u.ə c	XCAU.
Direction f	rom well?	Sw				How man				
FROM	TO	\circ	LITHOLOGIC I	LOG	FROM	TO	PLU	gging in	TERVALS	
0	٠5	Concrete	Druement							
05	1.0	FILL; R	BR, Moist							
1.0	3.0	, ,	BR Hoist							
3.0		ALLUVIUM:	RBR SM	. Fat Clay						
	8.0	MULTIUM!			_					
8.0	10.0		RBR, SH	, Clayey Sand	L					
0.0	17.0		RBR, Mois	t, Silt						
17.0	22.0	<u>L</u> :	I. R BR. V P	bist, Lean Ch	V					
22.0	23.5		T. RBR! We	+, Sand (fine	to Cons	se. Well	araded)			
23.5	25.0	L	T. RBR WE	et, Lean Clay		, ,	J			
25.0	30.0	(.	Smylch Be	, Wet, Lean	Chr					
JU10	50.0		41041311 21	·, www,	- Car				1	
					+					
					<u> </u>					
CONTE	ACTOR'S	OR LANDOWNER	B'S CERTIFICATION	ON: This water well wa	as (1) construc	ted (2) recor	istructed or (3) plur	aged unde	my juriedictio	n and we
			22 191	The mater were we						
omnieted	On imoracu									
ompleted		• • •	r 21	This Mater 14			d is true to the best	0/91	vieage and bei	ici. Kansa
Vater Well		s License 100.	531 . Tchucel	This Water W			n (mo/gay/yr) .7//	0/91	Nedge and beil	

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.