

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: JEDGWICK		SE 1/4 SW 1/4 SW 1/4		15		T 27 S		R 1 EW	
Distance and direction from nearest town or city street address of well if located within city? 160' N. of 1900 E CENTRAL WICHITA KS									
2 WATER WELL OWNER: KGE									
RR#, St. Address, Box # : PO BOX 208									
City, State, ZIP Code : WICHITA KS 67202									
Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 20 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. 14 ft. 2. . ft. 3. . ft.							
		WELL'S STATIC WATER LEVEL 13.83 ft. below land surface measured on mo/day/yr							
		Pump test data: Well water was . ft. after . hours pumping . gpm							
		Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm							
		Bore Hole Diameter 7.85 in. to 20 ft. and . in. to . ft.							
		WELL WATER TO BE USED AS:							
		5 Public water supply		8 Air conditioning		11 Injection well			
		1 Domestic		3 Feedlot		6 Oil field water supply		9 Dewatering	
		2 Irrigation		4 Industrial		7 Lawn and garden only		10 Monitoring well	
		Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes No							
5 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued . Clamped .	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded .	
				7 Fiberglass				Threaded	
Blank casing diameter 2 in. to 10 ft. Dia .									
Casing height above land surface -1.5 in., weight . lbs./ft.								Wall thickness or gauge No. 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		11 Other (specify)	
								12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS:									
From 10 ft. to 20 ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.	
From 3 ft. to 8 ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.	
From 3 ft. to 8 ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.	
GRAVEL PACK INTERVALS:									
From 10 ft. to 20 ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.	
From 10 ft. to 20 ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.		From . ft. to . ft.	
6 GROUT MATERIAL:									
1 Neat cement		2 Cement grout		3 Bentonite		4 Other			
Grout Intervals 2 From 0 ft. to 1 ft.		3 From 1 ft. to 3 ft.		3 From 8 ft. to 10 ft.					
What is the nearest source of possible contamination:									
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)	
						13 Insecticide storage			
Direction from well? N						How many feet? 20			
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS			
0	1	ASPHALT 3 SUBGRADE		0	1	CONCRETE			
1	6	SILTY CLAY		1	3	BENTONITE			
6	12	SANDY CLAY / CLAYEY SAND		8	10	BENTONITE			
12	20	SAND							
APPROVED BY KDHE DFT 6-13-90									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-5-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 517 This Water Well Record was completed on (mo/day/yr) 6-13-90 under the business name of GROUNDWATER TECHNOLOGY, INC. by (signature) Albert Stout									