

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number			
County: <u>Sedgwick</u>		<u>SW</u> 1/4 <u>SE</u> 1/4 <u>SW</u> 1/4		<u>16</u>		T <u>27</u> S		R <u>1</u> <u>EW</u>			
Distance and direction from nearest town or city street address of well if located within city? <u>700 E. Central</u> <u>LMW 6</u>											
2 WATER WELL OWNER: <u>Steffen Dairy</u>											
RR#, St. Address, Box # : City, State, ZIP Code : <u>700 E. Central</u> <u>Wichita, KS</u>											
Board of Agriculture, Division of Water Resources Application Number:											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: <u>24</u> ft. ELEVATION:								
			Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.								
			WELL'S STATIC WATER LEVEL <u>15</u> ft. below land surface measured on mo/day/yr								
			Pump test data: Well water was ft. after hours pumping gpm								
			Est. Yield gpm: Well water was ft. after hours pumping gpm								
			Bore Hole Diameter <u>8</u> in. to <u>24</u> in. to in. to in. to ft.								
			WELL WATER TO BE USED AS:								
			1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Monitoring well								
			Was a chemical/bacteriological sample submitted to Department? Yes..... No..... If yes, mo/day/yr sample was submitted								
			Water Well Disinfected? Yes..... No.....								
5 TYPE OF BLANK CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued..... Clamped..... 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded..... 7 Fiberglass Threaded.....											
Blank casing diameter <u>2</u> in. to <u>14</u> ft., Dia in. to ft., Dia in. to ft.											
Casing height above land surface <u>0</u> in., weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From <u>14</u> ft. to <u>24</u> ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From <u>12</u> ft. to <u>24</u> ft., From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From <u>0</u> ft. to <u>12</u> ft., From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage											
Direction from well? <u>Within site</u> How many feet? <u>Within site</u>											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
<u>0</u>		<u>8</u>		<u>silty clay</u>							
<u>8</u>		<u>TD</u>		<u>fine to med silty sand</u>							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>11/22/93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>102193</u> This Water Well Record was completed on (mo/day/yr) <u>2/1/93</u> under the business name of <u>Payne</u> <u>Wichita</u> by signature <u>P. J. J. J.</u>											