1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 .in. to ./7 ft., Dia .in. to .in. to Casing height above land surface ./2 .in., weight .in. to .in. to .in. to	ter Resour
Distance and direction from nearest town or city street address of well if located within city? Pitch	er Resour
PIO FAST MURDOCK UICHITA KS 2 WATER WELL OWNER: HUS TIECHNOLOGIES, FWC. Board of Agriculture, Division of Water RH#, St. Address, Box # : B/O F MURDOCK Board of Agriculture, Division of Water City, State, ZIP Code WICHITA KANYSAS 6.7214 Board of Agriculture, Division of Water AN X: IN SECTION BOX: DEPTH OF COMPLETED WELL 3.4 t. ELEVATION: The Jona and State Comparison of Mater AN X: IN SECTION BOX: DEPTH OF COMPLETED WELL 3.4 t. ELEVATION: The Jona and State Comparison of Mater AN X: IN SECTION BOX: Depth of COMPLETED WELL 3.4 t. ELEVATION: The Jona and State Comparison of Mater Sort Hole Diameter I. I. I. I. I. I. Sort Hole Diameter Sort Hole Diameter I. I. I. I. I. Sort YPE OF BLANK CASING USED: S Wought Iron 8 Concrete tile CASING JOINTS: Glued Clampe 1 Steel 3 RIMP (SR) 6 Asbestor-Cement 9 Other (specify below) Well Water Weil Disinceted? Yes No. 2 PVC 4 ABS 7 Fiberglass <td>below) nple was s ped</td>	below) nple was s ped
2 WATER WELL OWNER: HWS TECHNOLOGIES, TWC. Board of Agriculture, Division of Water RR#, St. Address, Box # : 8/10 E MURDOCK Board of Agriculture, Division of Water City, State, ZIP Code	below) nple was s ped
RH#, St. Address, Box # : SYO F. MUDDOCK Board of Agriculture, Division of Water City, State, ZIP Code : Cull CH HTA KAUSAS 6.7214/ Application Number: AN X: IN SECTION WITH 4 DEPTH OF COMPLETED WELL 3.1 t. ELEVATION: AN X: IN SECTION BOX: Depth OF Condeniest Encountered 1.1 1.3 ft. 2 ft. 3. Image: State of the section of the sectin the section of the sectin the section of the	below) nple was s ped
RH#, St. Address, Box # : BYO F. MUDDOCK Beard of Agriculture, Division of Water City, State, ZIP Code : Cull CH HTA KAUSAS 6.7214/ Application Number: Depth Sign Coundwater Encountered 1. 1.3 ft.2 ft.3 ft.2 AN X' IN SECTION WITH J DEPTH OF COMPLETED WELL. 3.7 ft.2 ft.3 Image: State of the	below) nple was s ped
City, State, ZIP Code CLICHTTA, KANSAS C 4214 Application Number: J LOCATE WELL'S LOCATION WITH A DEPTH OF COMPLETED WELL. 3'	fr
a) JOCATE WELL'S LOCATION WITH A JEPTH OF COMPLETED WELL. 3'4't. ELEVATION: AN *X' IN SECTION BOX: Depth(s) Groundwater Encountered 1/3t.2t.3. t. 2t.3t.3. I I I I J	fr
Depth(s) Groundwater Encountered 1	fr
Pump test data: Weil water was ft. after hours pumping Image: Strain Strai	below) nple was s ped
Pump test data: Weil water was ft. after hours pumping Image: Strain Strai	below) nple was s ped
Image: Second	ped
w i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i i	below) nple was s ped
Image: Section of the system of the syste	below) nple was s ped
Image: Signal State of Sta	nple was s ped
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well. 1 1 1 1 1 1 1 1 1 1 1 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well. No. X.: [f yes, mo/day/yr sampling 5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clampe 2 PVC 4 ABS 5 Fiberglass Threaded Clampe 2 PVC 4 ABS 7 Fiberglass Threaded 1.0 2.74 Casing height above land surface . 1.2 . in., weight <td>nple was s ped</td>	nple was s ped
Imited Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yr sample mitted S TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Clampe 2 PVC 4 ABS 7 Fiberglass Threaded In. to	nple was s ped
Imitted Water Weil Disinfected? Yes X No S TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Clampe 2 PVC 4 ABS 7 Fiberglass Threaded Threaded In. to 1.0 2/4 Blank casing diameter 5 1.7 .ft., Dia .in. to .ft., Dia .in. to 2/4 Casing height above land surface 1.2 , weight	ped
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	en hole)
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to 1 7 Casing height above land surface 12 in., weight in. to in. to Casing height above land surface 12 in., weight in. to in. to TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Other (specify) 2 2 Brass 4 Galvanized steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 10 Asbestos-cement 1 Continuous slot 3 Mill slot 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 1 Continuous slot 3 Mill slot 6 Wire wrapped 8 Saw cut 11 None (open 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 3 4 10 Other (specify) 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 17 ft. to 3 4 ft. from ft. to GRAVEL PACK INTERVALS: From 10 ft. t	en hole)
2 PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in. to 1.7 ft., Dia in. to ft., Dia in. to 2.72 Casing height above land surface 1.2 in., weight ibs./ft. Wall thickness or gauge No. 2.72 TYPE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement 10 Asbestos-cement 11 Other (specify) 2 2 Brass 4 Galvanized steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 None (open from	14 en hole)
Blank casing diameter 5 to 1.7 ft., Dia in. to ft., Ft in. to ft, ft in. to ft, ft in. to ft, Ft in. to ft, Ft in. to	n hole)
Casing height above land surface	en hole)
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 12 None used (open hole) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 None (open ft. to 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 1 t. to 3 .4 1 t. to 10 Other (specify) GRAVEL PACK INTERVALS: From 1 t. to 3 3 1 t. to 1 t. to B GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other 1 t. to Grout Intervals: From 1 1 1 14 Abandoned water t 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	en hole)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 17 ft. to 3 4/ From ft. to 3 4/ ft. From ft. to GRAVEL PACK INTERVALS: From ft. to 3 4/ ft. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ft. to ft. from ft. to Grout Intervals: From 1/0 ft. from ft. to ft. ft. o ft. ft. o ft. ft. o What is the nearest source of possible contamination: 1 O Livestock pens 14 Abandoned water of 14 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	en hole)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 11 None (open hole) SCREEN-PERFORATED INTERVALS: From 1.7 ft. to 3.44 ft. from ft. to GRAVEL PACK INTERVALS: From / Ø ft. to 3.44 tto ft. from ft. to S GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ft. from ft. to ft. for Grout Intervals: From / Ø ft. from ft. to ft. ft. for ft. to ft. to ft. ft. for 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	en hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open 1 Continuous slot 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 11 None (open 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 1.7 ft. to 3.4 ft. from ft. to GRAVEL PACK INTERVALS: From 1.0 ft. to 3.4 ft. from ft. to ft. to S GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ft. to ft. from ft. to Grout Intervals: From 10.1 10 Livestock pens 14 Abandoned water 14 Abandoned water 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From. 1.7 ft. to 3.4 GRAVEL PACK INTERVALS: From. 1.0 ft. from ft. to GRAVEL PACK INTERVALS: From. 1.0 ft. from ft. to From ft. to 3.4 ft. from ft. to GRAVEL PACK INTERVALS: From. 1.0 ft. to ft. from From ft. to 3.4 ft. from ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From. 17 ft. to 3.4 ft., From ft. to GRAVEL PACK INTERVALS: From. 10.0 ft. to 10.0 ft. to ft. to GRAVEL PACK INTERVALS: From. 10.0 ft. to ft. from ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From. 10.0 ft. to ft. from ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
SCREEN-PERFORATED INTERVALS: From. 1.7 ft. to 3.9 ft., From ft. to GRAVEL PACK INTERVALS: From. 1.0 ft. to ft., From ft. to GRAVEL PACK INTERVALS: From. 1.0 ft. to 3.9 ft., From ft. to GRAVEL PACK INTERVALS: From. 1.0 ft. to 3.9 ft., From ft. to GRAVEL PACK INTERVALS: From. 1.0 ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From. 1.0 ft., From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
From. ft. to ft., From ft. to GRAVEL PACK INTERVALS: From. / 0 ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ft. to Grout Intervals: From. / 0 ft., From ft. to ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water water 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
From ft. to ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
From ft. to ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From	
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water v 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify belo	J
	elow)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? SOUTH How many feet? 50	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
O 12 O CIAY	
12 36 VISAND & FINE GRAVEL	
36 39 19 SHALE	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction completed on (mo/day/year)	elief. Kans
completed on (mo/day/year)	elief. Kans
completed on (mo/day/year)	elief. Kans