


1 LOCATION OF WATER WELL: Fraction NE 1/4 NW 1/4 NE 1/4 Section Number 17 Township Number T 27 S Range Number R 1 E
 County: Sedgwick
 Distance and direction from nearest town or city street address of well if located within city?

1326 Fairview

2 WATER WELL OWNER: Cecil L. Brady
 RR#, St. Address, Box #: 1326 Fairview
 City, State, ZIP Code: Wichita, Kansas 67203
 Board of Agriculture, Division of Water Resources
 Application Number: NA

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 39 ft. ELEVATION: 5125/85 ft.

Depth(s) Groundwater Encountered 1. 16 ft. 2. 18 ft. 3. 20 ft.

WELL'S STATIC WATER LEVEL 16 ft. below land surface measured on mo/day/yr 5/25/85

Pump test data: Well water was 18 ft. after 1 hours pumping 20 gpm

Est. Yield 60 gpm: Well water was 18 ft. after 1 hours pumping 20 gpm

Bore Hole Diameter 9 in. to 22 ft. and 6 in. to 39 ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes X No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded

2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing diameter 6 in. to 34 ft. Dia. 1.95 lbs./ft. Wall thickness or gauge No. SDR26

Casing height above land surface 12 in. weight 1.95 lbs./ft.

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 34 ft. to 39 ft. From 34 ft. to 39 ft.

From NONE ft. to NONE ft. From NONE ft. to NONE ft.

GRAVEL PACK INTERVALS: From NONE ft. to NONE ft. From NONE ft. to NONE ft.

From NONE ft. to NONE ft. From NONE ft. to NONE ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 14 ft. to 3 ft. From 14 ft. to 3 ft.

What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well

1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage

Direction from well? SE How many feet? 11

FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG

0 5 Dark Brown Sand/Clay loam

5 9 Light Brown Sand/Clay loam

9 25 Light Tan Medium Fine Sand

25 39 Light Tan Medium Course Gravel

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/25/85 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 295 This Water Well Record was completed on (mo/day/year) 5/25/85

under the business name of Protheroe Pump & Well Service by (signature) Alvin J. Protheroe

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top

three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL

OWNER and retain one for your records.