


1 LOCATION OF WATER WELL: County: SEDGWICK		Fraction SE 1/4 NW 1/4 NW 1/4		Section Number 17		Township Number 27 S		Range Number 1 E	
Distance and direction from nearest town or city street address of well if located within city? 1211 Carlos Wichita, Kansas									
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Rob Swensin 1211 Carlos Wichita, Kansas				Board of Agriculture, Division of Water Resources Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION:							
<div style="text-align: center;"></div>		Depth(s) Groundwater Encountered 1. 15 ft. 2. . ft. 3. . ft.							
		WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 6-18-85							
		Pump test data: Well water was . ft. after . hours pumping . gpm							
		Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm							
		Bore Hole Diameter 11 in. to . ft., and . in. to . ft.							
TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped							
1 Steel <u>3 RMP (SR)</u>		6 Asbestos-Cement 9 Other (specify below) Welded							
2 PVC 4 ABS		7 Fiberglass Cer-Mac styrene SDR-26 Threaded							
Blank casing diameter 5 in. to 20 ft., Dia		Casing height above land surface 12 in., weight 1.59 lbs./ft. Wall thickness or gauge No. .203							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass <u>8 RMP (SR)</u>		11 Other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped <u>8 Saw cut</u> 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		2 Louvered shutter 4 Key punched 20 7 Torch cut 40 10 Other (specify)							
SCREEN-PERFORATED INTERVALS:		From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS:		From 14 ft. to 40 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.		From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 <u>Cement grout</u> 3 Bentonite 4 Other		Grout Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well							
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage		21							
Direction from well? West		How many feet?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG			
0	3	Topsoil							
3	11	Clay							
11	17	Fine Sand							
17	35	Medium Sand							
35	40	Gray Shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed , or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-18-85 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 10-15-85 under the business name of Harp Well & Pump Service, Inc. by (signature) <i>Mary Arnold</i>									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									