1	WAIFR	WELL RECORD	Form WWC-5	KSA 8	2a-1212	Karing	REPORT	
1 LOCATION OF WATER WELL:		NNWNE S				umber		Number
County: SERGICK	164W 1/4	14 by 1/4 &		160		<b>27</b> s	RIE	E/W
Distance and direction from nearest tow	n or city street add							
VII desta								
2 WATER WELL OWNER: JOF KO	MOZIOLA							
RR#, St. Address, Box # : 363 4	ocides st				Board of	Aoriculture.	Division of Wa	ater Resource
	A, KS 67203					n Number:		
City, State, ZIP Code : WCHIT  3 LOCATE WELL'S LOCATION WITH			221					<del></del>
AN "X" IN SECTION BOX:	4 DEPTH OF CO	MPLETED WELL	L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	π. ELE	VATION:			
N (					t. 2			
•					surface measured or			
NW NE	•				. after			-
	Est. Yield	gpm: Well	water was	ft	. after	. hours pu	ımping	gpm
	Bore Hole Diamet	erin	. <b>to</b>		t., and	ir	ı. to	
₩ 1 1 E	WELL WATER *	BE USED AS:	5 Public water	er supply	8 Air conditioning	g 11	Injection well	
-   '   !	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specif	y below)
SW  SE	2 Irrigation	4 Industrial			10 Monitoring we			•
	_				YesNo			
<u> </u>	mitted	acteriological sam	ipie submitted to D		Water Well Disinfect			imple was suc
		F Manually incom	0.0000				No Cla	d
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concre				dClaı	•
1 Steel 3 RMP (SF	•	6 Asbestos-Cem		(specify be	HEEL		led	
2 PVC 4 ABS		7 Fiberglass					aded	
Blank casing diameter	.in. to	ft., Dia	in. to		ft., Dia		in. to	ft.
Casing height above land surface 24	<b>?</b> i	in., weight		It	s./ft. Wall thickness	or gauge N	lo	
TYPE OF SCREEN OR PERFORATION	N MATERIAL:		7 PV	_		bestos-cem		1
1 Steel 3 Stainless	s steel	5 Fiberglass	8 RM	IP (SR)	11 Oti	ner (specify)	, N.C.	J
2 Brass 4 Galvaniz	ed steel	6 Concrete tile	9 AB	S	12 No	ne used (op	en hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 G	Gauzed wrapped		8 Saw cut		11 None (o	pen hole)
1 Continuous slot 3 Mi	ill slot	6 V	Vire wrapped		9 Drilled holes		- 4 1	
2 Louvered shutter 4 Ke	ey punched	, ) 7 T	orch cut		10 Other (specif	y)		
SCREEN-PERFORATED INTERVALS:	From	<i>O</i> ft. 1	to NW	ft F	From	ft. ·	to	
SOMEEN-I EM OFFICE INTERVIES.	From				From			
ODANEL BACK INTERNALS.					From			
GRAVEL PACK INTERVALS:					_	_	to	
1	From	ft.  Cement grout		IL., F	rom		-	11.
			2 Ponto	-it-				
<del>-</del>				nite	4 Other			
Grout Intervals: From3	ft. to O			to	ft., From .		ft. to	
Grout Intervals: From. 3 What is the nearest source of possible	ft. to	ft., From	ft.	to	ft., From .	14 A	ft. to	ft. iter well
Grout Intervals: From. 5 What is the nearest source of possible 1 Septic tank 4 Laters	ft. to	ft., From 7 Pit privy	ft.	to 10 Liv 11 Fu	restock pens el storage	14 A	ft. to bandoned wa Dil well/Gas w	tt. iter well ell
Grout Intervals: From. 3 What is the nearest source of possible	ft. to	ft., From	ft.	to 10 Liv 11 Fu	ft., From .	14 A	ft. to	ft. iter well ell
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepa	ft. to	ft., From 7 Pit privy	/ / e lagoon	to	restock pens el storage rtilizer storage secticide storage	14 A 15 C 16 C	ft. to  Abandoned wa  Dil well/Gas wa  Other (specify	ft. Iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Latera 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepa	ft. to	7 Pit privy 8 Sewage	/ / e lagoon	to	restock pens rel storage rilizer storage secticide storage many feet?	14 A 15 C 16 C	t. ft. to	ft. Iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Latera  2 Sewer lines 5 Cess	ft. to	7 Pit privy 8 Sewage 9 Feedyar	/ / e lagoon	to	restock pens restock pens rel storage ritilizer storage secticide storage many feet?	14 A 15 C 16 C	ft. to  Abandoned wa  Dil well/Gas wa  Other (specify	ft. Iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	/ / e lagoon rd	to	restock pens rel storage rilizer storage secticide storage many feet?	14 A 15 C 16 C	t. ft. to	ter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	/ e lagoon rd FROM	to	restock pens restock pens rel storage ritilizer storage secticide storage many feet?	14 A 15 C 16 C	t. ft. to	ft. Iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. Iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. Iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLER	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ft.  p lagoon rd  FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST	14 A 15 C 16 C	t. ft. to	ft. iter well ell below)
Grout Intervals: From. 5	ft. to	7 Pit privy 8 Sewage 9 Feedyar	FROM 27.	to	restock pens el storage ritilizer storage secticide storage many feet? WEST   SAND  CEMENT	14 A 15 C 16 C 2 75' LUGGING	ft. to  Abandoned wa Dil well/Gas well/Gas well/Gas well/ Dither (specify  MOETH SI NTERVALS	ft.  Iter well ell below)
Grout Intervals: From. S	ft. to	7 Pit privy 8 Sewage 9 Feedyar	ell was (1) constru	to	restock pens el storage rillizer storage secticide storage many feet? WEST   SAND  CEMENT	14 A 15 C 16 C 2 75 L LUGGING	ft. to  Abandoned wa Dil well/Gas well/G	tter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLEY FROM TO  7 CONTRACTOR'S OR LANDOWNER  completed on (mo/day/year) 6/23/19	ft. to	7 Pit privy 8 Sewage 9 Feedyar  OG	ell was (1) constru	to	restock pens rel storage rillizer storage recticide storage rectid	14 A 15 C 16 C 2 75 L LUGGING	ft. to  Abandoned wa Dil well/Gas well/G	tter well ell below)
Grout Intervals: From. 5	ft. to	7 Pit privy 8 Sewage 9 Feedyar  OG	ell was (1) constru	to	restock pens rel storage rillizer storage secticide storage many feet? WEST  SAND  CEMENT  reconstructed, or (3) record is true to the bed on (mo/day/yr).	14 A 15 C 16 C 2 75 L LUGGING	ft. to  Abandoned wa Dil well/Gas well/G	tter well ell below)
Grout Intervals: From. 5  What is the nearest source of possible  1 Septic tank 4 Laters 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep  Direction from well? WEST ALLEY FROM TO  7 CONTRACTOR'S OR LANDOWNER  completed on (mo/day/year) 6/23/19	ft. to	7 Pit privy 8 Sewage 9 Feedyar  OG  ON: This water we	ell was (1) constru	to	restock pens rel storage rillizer storage secticide storage many feet? WEST  SAND  CEMENT  econstructed, or (3) record is true to the bed on (mo/day/yr) mature)	plugged unest of my kr	the to  Abandoned wa  Di well/Gas w	ction and was