1				R WELL RECORD F	orm WWC	5 KSA 82a			
		TER WELL:	Fraction	115 55		ection Number	Township Nu		Range Number
		were	NE 1/4		1/4	20	1 27	S	R / (#)W
Distance and direction from nearest town or city street address of well if located within city?  In Wichia									
<u> </u>									
2 WATER WELL OWNER: State of Kansao  RR#, St. Address, Box # : 200 (Williams)  Board of Agriculture, Division of Water Resources									
RR#, St. Address, Box # : 200 (Malarm)  Board of Agriculture, Division of Water Reso									vision of Water Resources
	, ZIP Code	$\omega_{\zeta}$	ishda K	<u> </u>	٠,		Application		
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 35 ft. ELEVATION:  AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1.712 ft. 2. ft. 3. ft.									
Depth(s) Groundwater Encountered 1.7.6									
Ī		!							
Pump test data: Well water was ft. after hours pumping gpm									
1	Est. Yield . 10+ gpm: Well water was ft. after hours pumping gp								
* w	Bore Hole Diameter								
Σ	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							'	
1 -	- SW	SE	1 Domestic						
	1		2 Irrigation						
ł L	ı			bacteriological sample su	bmitted to I	•		•	no/day/yr sample was sub-
cl Type (		2461116 11655	mitted	C Marine L. I	0.0		ter Well Disinfected		No)
1 Ste		CASING USED:	<b>3</b> \	5 Wrought iron		rete tile			Clamped
		3 RMP (SI		6 Asbestos-Cement		r (specify below	•		d
Blank onsi	a A	2.42 ABS	in 10 15'	7 Fiberglass			4 Die		. to ft.
Cacing bo	iabt above l	and surface FII	ish Hours						SDR-13
_	-	R PERFORATION	4/4 - 1/4	rin., weight	€P			estos-cemen	
1 1 Ste		3 Stainless	•	5 Fiberglass		MP (SR)			
2 Br		4 Galvaniz		6 Concrete tile	9 A	` '			1
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
	ntinuous slo		ill slot) . 010				9 Drilled holes		Tribite (open note)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 35 ft. to ft., From ft. to ft.									
Fromft. to									
(	RAVEL PA	CK INTERVALS:	From 3.5	ft. to . <i>l</i> :	41	ft., Fror	n	ft. to	
			From	ft. to		ft., Fror	n	ft. to	ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 14									
		ource of possible	contamination:		(4)	10 Livest	ock pens	14 Aba	andoned water well
1 Septic tank 4 Late		4 Later	al lines	7 Pit privy		11 Fuel storage 15 Oil well/Gas well			well/Gas well
2 Sewer lines 5 Cess		•	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)			er (specify below)	
Watertight sewer, lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Pout of Gubin							anois years		
	rom well?	Joels					ny feet?	UCONIO 111	300 ·
FROM	TO ~=	O- abold is	LITHOLOGIC		FROM	ТО	PL.	ugging in	IEHVALS
D ME	.75	N. A. W.	y guck ba			-			
,75	2.50 525	Hed 1.001	Clary D. A.	mallan stick	<b>X</b>				
2.50	645 645	mothling	MINN CEUL	on clay, sligh	<b>/</b>	-			
525	8.25	BANJOTA	ittusana	<del>/</del>					
825	33.25	Fine-con	LI NAIN	ind and wil					
U A J	J. 70	few oebo	DO SIN	OLINATION)					
33.25	35.10	DK KLAN	10 PILIO	Hear Amoo.					
		a, may	رسس	may some					
						1			
7 CONTRACTOR'S OR LANDOWNER'S CEBTIFICATION: This water well was (1/2 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on (mo/day/year) 5-24-93, and this record is true to the best of my knowledge and belief. Kansas									
		s License No.	534#	This Water We	Record w		on (mo/day/yr) 5°		
	business na	~ 0	וחת גוטחץ	nental Drio	in	by (signat		Biob	
			<b>.</b>	FIRMLY and PRINT clearly. Plea	se fill in blanks			end top three co	opies to Kansas Department
				0-0001. Telephone: 913-296-55					