I LOZATION OF WATER WELL: Fraction Sw/ JE Sw // JE Section Number Township Number Range Number Output: Sedgvick No
Distance and direction from nearest town or city street address of well if located within city? 175' Northeast of 132 North Waco, Wichita, KS 50875046 MW-7 WATER WELL OWNER: Executive Manor Wichita Associates Board of Agriculture, Division of Water Re Application Number: Applicat
175* Northeast of 132 North Waco, Wichlta, KS 5087504 MV-7 WATER WELL OWNER: Executive Manor Wichlta Associates Bard of Agriculture, Division of Water ReApplication Number: AR: SI. Address, Box # : P.O. Box 1598 Board of Agriculture, Division of Water ReApplication Number: LOCATE WELL'S LOCATION WITH A STATIC WATER LEVEL. .25ft. ELEVATION: Approx. Surface Elev: 1.302. AN "X' IN SECTION BOX: Depth (s) Groundwater Encountered 1
WATER WELL OWNER: Executive Manor Wichita Associates RR#, St. Address, Box # : P.0. Box 1598 Board of Agriculture, Division of Water Re Application Number: USCATE WELL'S LOCATION WITH 4 N X* IN SECTION WITH 4 I I I I I I I I I I I I I I I I I I I
FIF#, St. Address, Box # : P.0. Box 1598 Board of Agriculture, Division of Water Re City, State, ZIP Code : Topeka, KS 66601 Application Number: LDCATE WELL'S LOCATION WITH J Depth of COMPLETED WELL
City, State, ZIP Code : Topeka, KS 66601 Application Number: LOCATE WELLS LOCATION WITH I DECTH OF COMPLETED WELL. 25
UCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX: DEPTH OF COMPLETED WELL. 25. ft. ELEVATION: Approx. Surface Elev: 1302. Depth(s) Groundwater Encountered 1 .9. ft. 2. ft. 3. Depth(s) Groundwater Encountered 1 .9. ft. 2. ft. 3. Depth(s) Groundwater Encountered 1 .9. ft. 2. ft. 3. Depth(s) Groundwater Encountered 1 .9. ft. 2. ft. 3. Depth(s) Groundwater Area Encountered 1 .9. ft. 2. ft. 3. Depth(s) Groundwater Area Encountered 1 .9. ft. 2. ft. 3. Pump test data: Well water was ft. after hours pumping ft. 3. Bore Hole Diameter 6 .0. in. to .25. ft. and in. to Statistical State As a chemical/bacteriological sample submitted to Department? Yes No. X. if yes, mo/day/y sample witted DePC F BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Disinfected? Yes to to to to to to Statiles as MP (SR) 6 Abestosco-Cement 9 Other (specify) below Weided </td
AN X* IN SECTION BOX: Pepth(s) Groundwater Encountered 1. 19.1. 1.2. ft.3. W Image: Stratic WATER LEVEL. 19.1. ft. below land surface measured on mo/daylyr 3/16/88 W Image: Stratic WATER LEVEL. 19.1. ft. below land surface measured on mo/daylyr 3/16/88 W Image: Stratic WATER LEVEL. 19.1. ft. below land surface measured on mo/daylyr 3/16/88 Pump test data: Well water was ft. after hours pumping in. to Image: Stratic WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 injection well Image: Decision of the stratic stratistratic stratic stratistratic stratic stratic stratic stratistrati
N Depth(s) Groundwater Encountered 11918
Image: Second
Image: Section of the sectin of the section of the section of the section of the
Image: Strength of the series of the seri
Image: Structure Image: Structure <td< td=""></td<>
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well Monitoring well 2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well Monitoring well 5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 7 Fiberglass Threaded. X Signature 3 Steel 3 Stailess steel 5 Fiberglass 8 Monitoring well Mold Mold 1 Steel 3 Stailess steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 10 Asbestos-cement 1 Steel 3 Stailess steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 11 10 Asbestos-cement 12 None setos-cement 12 None setos-cement
2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well 1 1 1 1 1 1 Yes No. X. If yes, mo/day/yr sample v 2 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 3 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 4 ABS 7 Fiberglass Threaded. X Schedul.e 40 2 Dryc OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) Checket (SP) 40 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) Checket (SP) 40 1 Steel 3 Stainless steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8
2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well 4 4 1 1 1 1 Yes No. X. If yes, mo/day/yr sample v mitted 5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 6 TYPE OF SCREEN CP ERFORATION MATERIAL: 6 Asbestos-Cement 9 Other (specify below) Welded Welded Anno 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Clamped 0 V/C 4 ABS 7 Fiberglass In. to
Imited Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Clamped 2 PVC 4 ABS 7 Fiberglass Threaded. X In. to
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped . 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
OPVC 4 ABS 7 Fiberglass Threaded. X. Blank casing diameter 2 in. to 15 ft., Dia in. to in. to in. to Casing height above land surface 36 in., weight in. to in. to in. to in. to Casing height above land surface 36 in., weight in. to in. to in. to in. to Casing height above land surface 36 in., weight ibs./ft. Wall thickness or gauge No. Schedule 40 TYPE OF SCREEN OR PERFORATION MATERIAL: Ibs./ft. Wall thickness or gauge No. Schedule 40 2 Brass 4 Galvanized steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) in. to 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) in. to 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) in. to SCREEN-PERFORATED INTERVALS: From ft. to ft. from
Blank casing diameter 2 in. to 15 ft., Dia in. to ft., Dia in. to in. to ft., Dia ft., ft., ft., ft., ft.,
Casing height above land surface 36 in., weight Ibs./ft. Wall thickness or gauge No. Schedule 40 TYPE OF SCREEN OR PERFORATION MATERIAL: Image: Casing height above land surface 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 11 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) SCREEN OR PERFORATED INTERVALS: From 15 ft. to 25 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 10 SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From 14+5 ft. to 25 ft., From ft. to 10 6 GROUT MATERIAL: 1 Neat cement Common ft. to 13 ft. to 14+5 ft. to 14+5 ft. to 14+5 ft. to 14+5 ft. to 10 Livestock pens 14 Abandoned water weintent is the nearest source of possible contamination: </td
TYPE OF SCREEN OR PERFORATION MATERIAL: Image: Constant of the system of the syste
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to From 14 · 5 ft. to 25 ft., From GRAVEL PACK INTERVALS: From 14 · 5 ft. to 14 · 5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 13 ft., From 14 · 5 ft. to Mati is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water weil 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 From 14.5 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From 14.5 ft. to 25 ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement Cement grout Bentonite 4 Other ft. to ft. to 9 Grout Intervals: From 13 ft., From ft. to ft. to ft. to ft. to 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 From 14.5 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From 14.5 ft. to 25 ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement 20 20 20 20 7 Tot, ft. to 14.5 6 GROUT MATERIAL: 1 Neat cement 20 20 7 Tot, ft. to 14.5 14.5 ft. to 14.4 14.4 14.4 14.4 14.4 14.
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From. 15 ft. to 25 GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From. 13 ft., From ft. to 14.5 Mati is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From 14+5 ft. to 25 ft., From ft. to ft. to GRAVEL PACK INTERVALS: From 14+5 ft. to 25 ft., From ft. to ft. to S GROUT MATERIAL: 1 Neat cement Cement grout Bentonite 4 Other 4 Other Grout Intervals: From 13 ft., From 13 ft. to 14+5 Mhat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
SCREEN-PERFORATED INTERVALS: From. 15 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 ft., From ft. to GROUT MATERIAL: 1 Neat cement Ocement grout Ocement grout Ocement grout Ocement grout Ocement grout It. to 14.5 ft. to
From ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From 14.5 ft. to 25 ft., From ft. to GROUT MATERIAL: 1 Neat cement Cement grout Bentonite 4 Other 4 Other Grout Intervals: From ft. to 13 ft., From ft. to 14.5 What is the nearest source of possible contamination: 13 ft., From 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
From. ft. to ft. from ft. to GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 ft., From ft. to GRAVEL PACK INTERVALS: From. 14.5 ft. to 25 ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement Ocement grout Ocement grout <th< td=""></th<>
From ft. to ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement Cement grout Bentonite 4 Other Generation 6 Grout Intervals: From 13 ft., From 14.5 ft., From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
From ft. to ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement Cement grout Bentonite 4 Other Generation 6 Grout Intervals: From 13 ft., From 14.5 ft., From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
GROUT MATERIAL: 1 Neat cement Cement grout Bentonite 4 Other Grout Intervals: From 13 ft., From ft., From ft., From What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
Grout Intervals: From
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage Jagoon 12 Fertilizer storage BOther (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
Direction from well? Southwest How many feet? 40
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 3 Lean Clay Fill With Sand, Brick, and Debris
3 10 Mottled Gray and Brown Fat Clay
10 13 Brown Lean Clay, Trace Sand
13 25 Brown Silty Fine to Medium Sand
THIS MONITORING WELL WAS PLUGGED ON 9/2/88 BY FILLING CASING WITH SAND BELOW
15' AND BENTONITE-CEMENT GROUT FROM 0' TO 15'.
Z CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was C constructed, (2) reconstructed, or plugged under my jurisdiction and the second se
completed on (mo/day/year) . (1). 3/13/88 (3). 9/2/88 and this record is true to the best of my knowledge and belief.
Z CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was D constructed, (2) reconstructed, or D plugged under my jurisdiction and completed on (mo/day/year)(1). 3/13/88(3). 9/2/88